

Contact Us

REGISTERED OFFICE ADDRESS

B 302 Signature 99, Near Ln Medical College
Kolar Road, bhopal, 462042 M.P

EUROPEAN OPERATING OFFICE

Tatlısu mah Seyhan Şok no 5 Ümraniye İstanbul Turkey
Mail Id: sedatoguz@disport.in

GCC SALES OFFICE

Al Harthy Complex Muscat|P.O.Box-1540,P.C.-116
Phone No: +971 523159570



PRODUCT CATALOGUE

www.disport.in

+91 9993006725, +91 9927600009, 0755 4513490

info@disport.in / disportin@gmail.com www.disport.in

WFSGI Member
Company since 2024

<https://wfsgi.org/wfsgi-members-list/>



European Union Trade
Registration Certificate



Under Ministry of
Trade and
Commerce
Republic of India



**FEDERATION OF INDIAN
EXPORT ORGANISATIONS**
Set up by Ministry of Commerce, Government of India
ISO 9001:2015 Certified

Certified by



CONTENT

| | |
|--|----|
| ABOUT US | 06 |
| VISION, WHY WORK WITH DISPORT | 07 |
| CERTIFICATIONS & MEMBERSHIPS | 08 |
| MANAGEMENT TEAM | 10 |
| OUR JOURNEY TIMELINE | 12 |
| MONTHLY PRODUCTION CAPACITY | 14 |
| COMPREHENSIVE PLAYER DEVELOPMENT: TECHNICAL, TACTICAL, AND FIELD TRAINING | 16 |
| ▪ Hurdles | 18 |
| ▪ Cones | 22 |
| ▪ Slalom Pole | 24 |
| ▪ Penalty Dummy | 26 |
| ▪ Passing Gate/Arc | 28 |
| ▪ Ladder | 30 |
| ▪ Referee Equipment | 32 |
| ▪ VEO CAM 3+ 5G | 34 |
| ▪ Bibs | 42 |
| ▪ Rebounder | 43 |
| ▪ Ball Carry Bags | 44 |
| ▪ Miscellaneous Accessories | 45 |
| INFLATABLE BALLS | 48 |
| ▪ Footballs | 50 |

| | |
|------------------------------|------------|
| ▪ Fussballliebe | 54 |
| ▪ Tiro | 56 |
| ▪ Puma | 58 |
| ▪ Handball | 68 |
| ▪ Volleyball | 70 |
| ▪ Spotvolley | 72 |
| ▪ Netball | 73 |
| ▪ Basketball | 74 |
| GOAL POST | 76 |
| ▪ Football Goal Post | 78 |
| ▪ Hockey Goal Post | 82 |
| ▪ Handball Goal Post | 82 |
| ▪ Badminton Goal Post | 84 |
| ▪ Volleyball Poles | 85 |
| ▪ Volleyball Accessories | 86 |
| ▪ Basketball Rings & Boards | 87 |
| ▪ Sports Net | 90 |
| ▪ Ball Cart | 93 |
| GYMNASTIC EQUIPMENT | 96 |
| ▪ Cover Only | 103 |
| ▪ Mats | 104 |
| FITNESS TRAINING | 106 |
| ▪ Boxing Ring Indoor/Outdoor | 112 |
| ▪ Punching Bag | 113 |
| TRACK & FIELD | 114 |
| ▪ Athletic Equipment | 116 |

| | |
|--------------------------------------|------------|
| ▪ Starting Block | 118 |
| ▪ Line Marking Machine | 119 |
| TABLE TENNIS & BOARD GAME | 120 |
| ▪ Table Tennis | 122 |
| ▪ Board Game | 125 |
| ▪ Fooseball Table | 127 |
| STADIUM EQUIPMENT | 128 |
| ▪ Turf & Other Accessories | 130 |
| ▪ Mast Pole | 137 |
| ▪ Lights | 139 |
| ▪ Drainage & Irrigation System | 140 |
| ▪ Stadium Gate | 141 |
| TEAM SPORTS WEAR | 144 |
| ▪ Apparel- Goalkeeper Football | 146 |
| ▪ Apparel- Teamwear Football | 147 |
| ▪ Apparel- Teamwear Volleyball | 148 |
| ▪ Apparel- Teamwear Athletic | 148 |
| ▪ Apparel- Teamwear Basketball | 149 |
| ▪ Apparel- Training Collared Neck | 149 |
| ▪ Apparel- Training Round Neck | 150 |
| ▪ Apparel- Sports Shorts | 151 |
| ▪ Apparel- Track Pants | 151 |
| ▪ Apparel- Track Shirts | 152 |
| ▪ Knee Pad | 153 |
| ▪ Basketball Shoes | 153 |
| ▪ Teamkit Bags | 154 |

ABOUT US

We are excited to introduce Disport-India, the flagship brand of General Trading Company, we have established ourselves as a trusted manufacturer & supplier in the industry of Sports and Recreational Products with over these many years of global experience. Our commitment to delivering High-Quality, Innovative Solutions at Very Cost Effective Price has earned us a strong reputation among international clients. Our strength lies in delivering bulk volumes efficiently while maintaining a strong reputation for successfully handling highly rated international projects across the globe.

We specialize in delivering a wide range of products, including Comprehensive Player & Game Development: Technical, Tactical & Field Training Stadium Equipment, Track & Field Goal Posts, Nets, and More. Guided by the principles of customer satisfaction and mutual collaboration, we aim to make premium sports equipment accessible globally. **We are known for customized logos with very minimum order quantity.**

Disport stands out for its exceptional pricing, outstanding services, and punctual deliveries. We proudly serve satisfied clients in , **25+ countires**.

VISION

Our vision is to extend our reach globally while maintaining a strong focus on competitive pricing and exceptional quality. We aim to bring together more and more the unorganized sector and small-scale manufacturers onto a unified platform, both in India and worldwide.

With our global network, we also export to third-party countries and manage international accounts across various industries. Looking ahead, we are focused on expanding our footprint by adding 40 new sports distributors over the next two years.

Currently, we are actively engaged in developing multiple categories, including Electronics, Infrastructure, Equipment, and Training & Sports Equipment, ensuring a comprehensive and innovative approach to meeting the evolving needs of our partners and customers.

STRENGTH & WHY TO WORK WITH DISPORT

We founded our company with a clear vision: to provide the best-in-class services to our clients. Below are the key strengths that define our success:

- Operational across 25+ countries, spanning nearly every continent.
- Proven track record in managing world-class sports infrastructure projects.
- Fully compliant member of the World Federation of Sporting Goods Industry (WFSGI), alongside industry leaders like Adidas, Nike, Puma, Umbro, Decathlon, Mizuno, Mikasa, FIFA etc.
- Consistently **awarded 5-star ratings** by our clients, and our distributor including esteemed international football federations.
- Supplier of 8+ FIFA-approved balls, FIFA-approved turf, sports infrastructure like dugouts and goal posts, as well as turf installation and green energy initiatives for stadiums.
- Committed to maintaining close client relationships through regular inperson visits throughout the year.

Certifications & Memberships

"At Disport, we take pride in maintaining the highest standards of quality, safety, and reliability. Our certifications reflect our commitment to excellence and compliance with international industry standards. As a registered and certified company, we ensure that our products and services meet the expectations of our valued customers and partners."

Our Certifications & Memberships Include:

Quality Management System Certification:

Ensuring adherence to global quality standards.

General Trading Company Membership Certificate:


Recognized for excellence in trading and operations.

FEIO Registered Member:

A mark of trust and authenticity in the industry.

Application of Registered Membership:

Validating our compliance and commitment to industry best practices.



UDINRCM00073722AM25



FEDERATION OF INDIAN EXPORT ORGANISATIONS
FIEO Madhya Pradesh Chapter - Indore
Gold Arcade 203, 3/1, New Palasia, Near Janjirwala Square, Indore.
INDORE, MADHYA PRADESH, 452001.
Email - indore@fio.org, Telephone - 0731-4282335 Website - https://www.fio.org



REGISTRATION CUM MEMBERSHIP CERTIFICATE
(Issued under the provisions of Foreign Trade Policy, Government of India)

| | | | | | |
|--|---|-----|------------|-------------------------------|------------|
| Name of the exporter | GENERAL TRADING COMPANY | | | | |
| IEC Number | DFPPG0154G | PAN | DFPPG0154G | Date of Birth / Incorporation | 20/10/1988 |
| Address of the Registered/Head Office | B-302 SIGNATURE 99 NEAR LN MEDICAL COLLEGE KOLAR ROAD BHOPAL, 462042, BHOPAL, MADHYA PRADESH | | | | |
| Nature of Concern | Proprietorship | | | | |
| Description of goods/ services for which registered | Diapers and underpad can be necessary for adults with various conditions such as incontinence mobility impairment severe diarrhea or dementia | | | | |
| Registration Number | RCMC/FIEO/00867/2022-2023 | | | | |
| Issued against File Number | RCMCRENEWFIEO00024204AM25 | | | | |
| Registered as | Merchant Exporter | | | | |
| Name of the Proprietor/ Partner(s)/Director(s)/Karta | Swati Gupta | | | | |

This certificate is issued as per the details of our records and is subject to the conditions laid down in the relevant scheme of registration of this council.

| | | | |
|------------|------------|------------|------------|
| Issue Date | 03/05/2024 | Renew upto | 31/03/2025 |
|------------|------------|------------|------------|

Note: Refer DGFT Website (Services - View IEC Related Details - View Any IEC) for IEC Branch and Director details.

OUR TOP MANAGEMENT

SAURABH GUPTA CEO

18+ year Experience in Sport Industry, Global Sourcing, Global Sales, Research and Development Travelled & Explored Market of 70+ Countries in Person & worked with global brand like Stag Nivia, Handle Distributions of, Adidas, Nike, Mizuno, Tecnifibre, Victor, Skilz, USA, Tunturi, Finlo Hammer and Milon.

Special Focus:

- One on one direct interaction Distributor & Football Federation Official to know the need and fulfill all their requirement.
- To maintain our contact with Various Government Sport & Infrastructure Official In heading of Quality Inspection of Department.
- Business Development & Dealing with Sport Federation & Dealing with Global Buyer.

SEDAT OGUZ GM SALES EUROPE

25+ year of Experience in Sporting Sales Equipment All type of sports goods sale in European , America & Middle Eastern Countries. Worked with Esteemed brand like Petra Sports Taj Mahal Sports , Ekip Sport, Stag, Nivia, Topgear & many more.

Special Focus:


- Working as a Team Leader in European and Middle Eastern Countries for our company.
- Handling company vendors in Turkey & neighboring countries.

RITIKA MISHRA MANAGER

Completed MBA, Joined as Intern & Step By Step headed as Manager, International Sales.

Special Focus:

- Ensuring timely order processing and delivery.
- Preparing quotations and managing logistics operations,
- Handling special sourcing projects, administration tasks, & documentation, Driving channel sales and supervising team activities,
- Acquiring new clients and managing relationships effectively,
- Overseeing local procurement and vendor coordination,
- Ensuring compliance with logistics and regulatory requirements.



DISPORT INDIA GLOBALLY EXPANDED

COUNTRIES

- | | | |
|------------|----------------|-----------------|
| - Usa | - Kosovo | - Gambia |
| - Columbia | - Turkey | - France |
| - Ecuador | - Saudi Arabia | - Croatia |
| - Peru | - Iran | - Cote d'Ivoire |
| - England | - Uae | - Russia |
| - Belgium | - Oman | - Mauritius |
| - Liberia | - Mauritius | |
| - Serbia | - Sri Lanka | |
| - Bosnia | - Australia | |
| - Romania | - Sierra Leone | |

OUR JOURNEY TIMELINE

2018

Started Distribution in Sri Lanka & Supplied to Ministry of Sports Sri Lanka & Youth Welfare

"Add: Sri Lanka Cricket Board",
"Started Distribution in UAE & Oman"
and Supplied to Carrefour, Lulu Hypermarket, Safari Hypermarket, and online portals like Amazon in the UAE and Oman

2019

2020

Started distribution in USA Turkey & Kosovo & Entered in USA Walmart through our distributor

Started Distribution in Serbia & Supplied to Ministry of sport in India

2021

2022

Started distribution in Peru, Colombia, Mauritius, Australia, Belgium & England

Started distribution in Liberia, Sierra Leone, Gambia, Canada, Ecuador, & Mexico

2023

2024

Started distribution in Saudi Arabia, Bosnia and Herzegovina, Croatia, Romania, France, Iran & Russia

MONTHLY PRODUCTION CAPACITY

1

ALL SIZE CONE
22000 PCS(+)

5

SAUCER CONE
4000-4500 PCS

9

DUMBBLES
18000-20000 KG

13

BOXING RING
3-4 SETS

2

ALL SIZE HURDLES
8000-10000 PCS(+)

6

HANDBALL GOAL POST
70-80 Pairs

10

WEIGHT PLATES
18000-20000 KG

14

TABLE TENNIS
100-120 TABLE

3

SPORT MAKERS
5000-55000(+)

7

FOOTBALL GOAL POST
35-40 Pairs

11

TURF
40000 SQM

15

GOAL POST
40-50 SET

4

ALL SIZE LADDERS
8000-9000 PCS

8

GYMNASTICS EQUIPMENT
08-10 SETS

12

CARROM BOARDS
250-300 CARROMS

16

CRICKET NET
7000-8000 KG

COMPREHENSIVE PLAYER DEVELOPMENT: TECHNICAL, TACTICAL, AND FIELD TRAINING

****OEM Available**



HURDLES



Color :

REGULAR HURDLE

Material: Constructed with durable molded PVC material with plastic caps at ends.

Design: Hurdles for agility drills, running drills and plyometric jumps

Resistance: UV resistance

- DS-RH12 12" height
- DS-RH15 15" height
- DS-RH18 18" height



Color :

ADJUSTABLE HURDLE

Material: Constructed with durable molded PVC material with plastic caps at ends.

Design: Hurdles are fully collapsible with twist to convert it in sizes

Resistance: UV resistance

- DS-AH612 6" to 12"
- DS-AH912 9" to 15"
- DS-AH1218 12" to 18"
- DS-AH1518 15" to 18"



Color :


COLLAPSIBLE AGILITY HURDLE

Material: Constructed with durable molded PVC material with plastic caps at ends.

Design: 16" wide hurdle fully Collapsible with internal locking mechanism. Improve foot-speed and tone leg muscles

Resistance: UV resistance
- For Agility Drill

- DS-CAH6 6"
- DS-CAH9 9"
- DS-CAH12 12"
- DS-CAH15 15"



Color :


3 IN 1 AGILITY HURDLE- SINGLE COLOUR

Material: Constructed with durable molded PVC material

Design: Can be easily set one of the 3 height options available & fold flat for portability

Resistance: UV resistance

- DS-3INISC612 6" to 12"
- DS-3INISC912 9" to 12"
- DS-3INISC1518 15" to 18"



Color :

3 IN 1 AGILITY HURDLE- MULTICOLOUR

Material: Constructed with durable molded PVC material

Design: Can be easily set one of the 3 height options available & fold flat for portability

Resistance: UV resistance

- DS-3INIMC612 6" to 12"
- DS-3INIMC912 9" to 12"
- DS-3INIMC1518 15" to 18"



Color :

DOMe AGILITY HURDLE

Material: Pole set is constructed by 25 mm PVC Pipe & Plastic Dome base.

Design: This unique design base & Poles have adjustable jointer in between for folding and easy transportation

Resistance: UV resistance

- DS-DAH9 9" height
- DS-DAH12 12" height
- DS-DAH15 15" height
- DS-DAH18 18" height



Color :


FLAT STEP HURDLE

Material: Constructed with durable molded PVC material with flat rungs

Design: The flat construction makes them safe to use, light and easy to transport and ideal for training exercises.

Resistance: UV resistance

- DS-FH6 6" height
- DS-FH9 9" height
- DS-FH12 12" height
- DS-FH15 15" height



Color :

FOLDING AGILITY HURDLE

Material: Constructed from 25 mm plastic tube.

Design: Light Weight fully foldable and easy to use training hurdle.

Use: A perfect training hurdle for quick knee lift, stepping, agility drills, running drills and plyometric jumps.

Width: Hurdle is 50 cm wide

Resistance: UV resistance

- DS-FAH9 9" height
- DS-FAH12 12" height
- DS-FAH15 15" height
- DS-FAH18 18" height



Color :


BOUNCE BACK WEIGHT HURDLES

Material: Constructed with durable molded PVC material & plastic caps at ends with weighting system in legs.

Design: Weighted Hurdles that return to their original Position after being knocked down.

Resistance: UV resistance

- DS-BBWH20 20cm height
- DS-BBWH30 30cm height
- DS-BBWH40 40cm height
- DS-BBWH50 50cm height
- DS-BBWH60 60cm height



Color :

MINI TRAINING HURDLES

Material: : Steel

Design: : Mini training hurdle with adjustable heights. Particularly suitable for agility and speed training as well as jump training.

Other Specification:

Foot shape: Square tube
Counter weight: Non-adjustable

Adjustment method:

Spring-loaded buttons

Top board type: Rounded steel

Range of use: Training only

Heights Adjustment (IN MM):

150, 200, 250 mm

Powder Coated

- DS-MTH



Color :

SCISSOR HURDLE

Hurdle Material: Constructed of round steel tubular pipe

Top Base Material: Molded Durable ABS plastic with UV resistance with inner rib

5 Height range: 228.6 to 914.4 mm

Steel Pipe Size: 25 mm round

Powder Coated

- DS:SH



Color :

HURDLE STEEL

Material: Constructed of galvanised steel

Design: Counter weights are adjusted with onesimple move with your foot.

Height levels (in mm): 686, 762, 838, 914, 991 and 1067.

Crossbar: Hurdle cross bar constructed out of ABS plastic with inner rib

Steel pipe size: 46 mm square outer & 40mm square inner Powder Coated

- DS-HS



Color:     

TRAINING COLLAPSIBLE STEEL HURDLE

Hurdle Type: Training collapsible

Design: Collapsible construction, steel feet with permanent counter weights, hurdle frame made of steel telescope tubes with spring-loaded button system of height adjustment.

Top Board: Molded ABS plastic with inner rib, UV resistance

Heights [mm]: 600, 686, 762, 838, 914

- Powder Coated

DS-TCSH



Color:     

TRANING HURDLES

Top Board Material:

Constructed molded ABS plastic with UV resistant

Design: The floor frame is made of bent, powder coated steel tube and is equipped with integral, counter weighted.

Height adjustable by means of spring pressure mechanics. A total of 6 different heights are possible.

Possible Heights(in mm): 686, 762, 838, 914, 991 and 1067.

- Powder Coated

▪ DS-TH



Color:     

ADJUSTABLE HURDLES ALUMINIUM

- Adjustable Hurdle is made out of a custom aluminum profile. The hurdle is designed to give smooth trouble free use. Manual height & weight selection system. Heavy duty square aluminum base with Lexan cross bar. Square aluminum uprights and sliding tube. Push button with spring return for easy height adjustment. Enclosed weights with spring return.

Dimension: 1196 X 702 X 915 mm (Adjustable Height)

Weight: 13.5 KG

▪ DS-AHA



RETURN HURDLE MAXI

Material: Stable, light aluminum foldable construction with a diameter of 18-22mm.

Design: Adjustable height with automatic return to the upright position. Protection of the upper bar by EVA foam to prevent possible injury.

Size: Maxi – 7 Height Levels(in mm) (660-710-760-840-910-980-1060).

Width: 850mm, Base 513mm.

Weight: Maxi 2.40kg

▪ DS-RHMAX

Color :     



HURDLE BAG OPTIONAL

- Made of heavy duty polyester fabric to carry hurdle.
- To Fit 6 & 12 hurdles.

▪ DS-HBO

Color : 



RETURN HURDLE MINI

Material: Stable, light aluminum foldable construction with a diameter of 18-22mm.

Design: Adjustable height with automatic return to the upright position. Protection of the upper bar by EVA foam to prevent possible injury.

Size: Maxi – 5 Height Levels(in mm) (400-450-500-550-600).

Width: 780mm, Base 303mm.

Weight: Mini 1.50kg

▪ DS-RHMINI

Color:     



AGILITY HURDLE CARRIER OPTIONAL

Material: Made from Strong and Lightweight Material, Durable, Velcro Strap for Carrying Training Hurdles

Size: One Size

Capability: Can Carry Upto 12 Hurdles

▪ DS-AHCO

Color : 

CONES



Color :

REGULAR MARKER

Material: Constructed from strong LDPE material with unique design square base
Resistance: UV resistance

- DS-RMC6 12" height
- DS-RMC9 15" height
- DS-RMC12 12" height
- DS-RMC15 15" height
- DS-RMC18 18" height



Color :

REGULAR MARKER CONE WITH HOLE

Material: Constructed from super soft flexible vinly
Height: Cones are 6" high with round base
Resistance: UV resistance

- DS-RMCH9 9" height
- DS-RMCH12 12" height
- DS-RMCH15 15" height
- DS-RMCH18 18" height



Color :

REGULAR WIND SLIT CONES

Material: Constructed LDPE material
Design: Open side cut for wind resistance
Size: 9" high x 5.5" wide square base
Weight: 75 gm ± 5 gm
Resistance: UV resistance

- DS-RWSC



Color :

REGULAR SAUCER CONES DELUXE

Material: Constructed from LDPE material
Design: Soft, flexible and stuck easily. Color code your drills for more effective practice time.
Size: 6 cms height X 21 cm diameter
Weight: 25 ± 2 gm
Resistance: UV resistance

- DS-RSCD25 Set of 25 Pc
- DS-RSCD40 Set of 40 Pc
- DS-RSCD50 Set of 50 Pc



Color :

CUT TOP SAUCER CONES DELUXE

Material: Constructed from LDPE material
Design: Special Cut Top for soft, flexible and stuck easily. Color code your drills for more effective practice time.
Size: 6 cms height X 21 cm diameter
Weight: 25 ± 2 gm
Resistance: UV resistance

- DS-CTSCD25 Set of 25 Pcs
- DS-CTSCD40 Set of 40 Pcs
- DS-CTSCD50 Set of 50 Pcs



Color :

HEXA SAUCER CONE SET OF 50 PCS IN A BOX

Material: Made up of soft material
Design: Can be used with poles to form hurdles in different directions. New designed hexa shape marker cones
Weight: 30± 2 gm
Size: Height 2" (5 Cm)
Resistance: UV resistance

- DS-HSC50 2" (5 Cm)

***we can emboss your logo if the quantity is 1000 set of 50 pcs*



Color :

SUPER SPACE CONE WITH 4 HOLES

Material: Constructed from LDPE material
Design: Soft, flexible and stuck easily.
Weight: 125 ± 10 gms
Resistance: UV resistance
Quantity: Per PCS

- DS-SSC4H



Color :

SOFT VINYL CONE

Material: Constructed from super soft flexible vinly
Design: Round base
Resistance: UV resistance

- DS-SVC 6" height



Color :

MINI SAUCER CONE

Material: Constructed from LDPE material
Weight: 10 ± 2 gm
Quantity: Set of 50 Pcs
Resistance: UV resistance

- DS-MSC 1.5 X 5"



Color : Multi-Colored

TRIANGLE CONE SET OF 50 PCS

Material: Made with soft and high quality plastic
Design: New training cone designed in Triangle

- DS-TRC 5 cm X 18 cm



Color :

DOMES MARKER SET

Material: Constructed from LDPE material
Design: High Stack easily for transporting and storage using the storage Bar, Low profile design won't tip or blow away.
Size: Markers are 7 3/4" Dia X 3 1/2"
Resistance: UV resistance

- DS-DM40 Set of 40 Pcs

***In other sets also available*



Color :

SPOT MARKER TPE

Material: TPE, Non Skid Floor Spot Markers
Design: Constructed from durable non-skid rubber, these markers will stay in place on any floor to prevent athletes from tripping or slipping.
Weight(4"): 25 gm ± 2
Weight(6"): 40 gm ± 2
Resistance: UV resistance

- DS-SMTPE4 TPE DIA 4"
- DS-SMTPE6 TPE DIA 6"

SLALOM POLE



Color :

REGULAR SLALOM POLE

Material: Constructed with durable PVC 25 mm pipe, Comes with nail for insertion in ground
Resistance: UV resistance

■ DS-RSP



Color :

SLALOM POLE SPRING BASE

Material: - Constructed with durable PVC 25 mm pipe, Fixed Spring is connected in Spike at the end
Resistance: UV resistance

■ DS-SPSB



Color :

SLALOM POLE WITH SPRING @ 10"

Material: Constructed with durable PVC 25 mm pipe, Spring attached to pole above 10" from ground level
Size: 9" high x 5.5" wide square base
Weight: 75 gm ± 5 gm
Resistance: UV resistance

■ DS-SPS@10"



Color :

SLALOM POLE SPRING TELESCOPIC

Material: Constructed with durable PVC 25 mm pipe telescopic function to adjust different heights with spring.
Resistance: UV resistance

■ DS-SPST



Color :

SLALOM POLE SPRING IN CENTRE

Material: Constructed with durable PVC 25 mm pipe, Spring attached to pole in center.
Resistance: UV resistance

■ DS-SPSC 6" height



Color :

REGULAR POLE BARS

Material: Constructed with durable PVC 25 mm pipe
Resistance: UV resistance

■ DS-PB50 50cm
■ DS-PB100 100cm
■ DS-PB150 150cm



Color :

PVC CORNER FLAG WITH SPIKE & FLAG DELUXE

Design: Used for field marking
Size: 32 mm x 170 cms pole with red or yellow flag(customised)
Coating: Strong powder coated spike at the bottom
Resistance: UV resistance

■ DS-PCFSF 32MM



Color :

PVC CORNER FLAG WITH SPIKE & FLAG ECONOMIC

Design: Used for field marking
Size: 25 mm x 170 cms pole with red or yellow flag (customised)
Coating: Strong powder coated spike at the bottom
Resistance: UV resistance

■ DS-PCFSFD 25MM

DOMES BASE



Color : Multi-Colored

HEAVY DOME BASE

Material: Constructed with durable PVC material
Design: Can be used with spare PVC poles of different heights to perform drills.
Filling: Sand or water can be filled in the base to make it heavy and stable during performing drills. Sturdy dome base built to accommodate 1"/25MM dia pole.
Comes with a threaded plug at the bottom.
Resistance: UV resistance

■ DS-HDB



Color :

PVC PLASTIC DOME BASE-MULTI PURPOSE

Material: Constructed with durable PVC material
Design: Can be used with spare PVC poles of different heights to perform drills
Filling: Sand or water can be filled in the base to make it heavy and stable during performing drills. Sturdy dome base built to accommodate 1"/25MM dia pole
Comes with a threaded plug at the bottom
Size: Round
Resistance: UV resistance

■ DS-PPDB



Color :

RUBBER BASE-CLASSIC

Material: Weight Rubber base for indoor training pole
Size: Poles 25mm dia
Quantity: Black 1200g

■ DS-RBC

PENANLTY DUMMY



Color :

PVC PENANLTY DUMMY WITHOUT SPRING

Material: Constructed from exceptionally heavy-duty PVC with a wide molded chest mesh PVC plate for durability
Total Height Of Dummy: 180 Cm, Width 42 Cm

▪ DS-PVCPDWOS



Color :

PVC PENANLTY DUMMY WITH SPRING

Material: Constructed from exceptionally heavy-duty PVC with a wide molded chest mesh PVC plate with spring for durability.
Total Height Of Dummy: 180 Cm, Width 42 Cm

▪ DS-PVCPDWS



Color :

DEFENDER MAN POLE WITHOUT BASE

Material: Made of durable PVC plastic with spikes without base

▪ DS-DMPWB



SPRING RETURN PENALTY DUMMY WITH SPRING

Material: Constructed of 19mm powdered coated metal pipe
Spring: With Four heavy duty Spring System at the bottom
Spike: Attach with solid metal spikes
Total Height Of Dummy: 180cm

▪ DS-SRPDWS

Color :



SINGLE PENALTY DUMMY

Size: Cart with 1 x 160 cm high Penalty Dummy
 Cart with 1 x 180 cm high Penalty Dummy
Cart Height: 15 cm

▪ DS-SPD

Color :



PENANLTY DUMMY STEEL

Material: Constructed of 25mm powdered coated metal pipe
Spring: With Two heavy duty Spring System at the bottom
Spike: Attach with solid metal spikes
Total Height Of Dummy: 180cm

▪ DS-PDS

Color :



PENALTY DUMMY \CART-SET OF 5


Material: 100mm heavy duty wheels & two wheels on one side, Powder coated metal pipe(Hold 5 dummies)
Size: Length- 280 cm
Could be used at any surface
Complete with trolley

****Dummies not included only cart**

▪ DS-PDWCS5

Color :

PASSING GATE/ARC



Color :

PASSING GATE

Material: Constructed of 25 mm thick durable PVC pipe in U shape

Design: Can be used as a goal lie for small games as target to improve passing or part of an obstacle course

Spike size: 12" height, with metal ground spike

Resistance: UV resistance

- DS-PG



Color :

PASSING ARC

Material: : Constructed of 25 mm thick durable PVC pipe

Design: Can be used as a goal lie for small games as target to improve passing or part of an obstacle course

Pipe with metal ground spike

Size: 12" height x 18" width

Resistance: UV resistance

- DS-PA



Color :

PASSING GATE WITH SPRING

Material: Constructed of 25 mm thick durable PVC pipe, Coated-Powder coated springs, spikes and adjustable height passing arc,

Passing arc will come back to normal position when hit

Height: adjustable from 12" to 15" or 18"

Resistance: UV resistance

- DS-PGWS



PASSING ARC IN & OUT SQUARE

Use: Indoor & Outdoor used

Design: Square shape

Size: Made with 25 mm Width

- DS-PAINOUTS12 12" x 18"
- DS-PAINOUTS15 15" x 18"

Color :



PASSING ARC IN & OUT ROUND

Use: Indoor & Outdoor used

Design: Round shape

Size: Made with 25 mm Width

- DS-PAINOUTR12 12" x 18"
- DS-PAINOUTR15 15" x 18"

Color :



PASSING ARC SQUARE

Use: Indoor & Outdoor used

Design: Round shape

Size: Made with 25 mm Width

- DS-PAINOUTR12 12" x 18"
- DS-PAINOUTR15 15" x 18"

Color :



TRAINING ARC MULTI

Material: Made of high quality plastic tube

Height: Multi height adjustable function for different variation during training with metal spike

- DS-TRM

Color :

LADDER



Color :

REGULAR FLAT LADDER

Material: : Constructed of 25mm nylon webbing strap. Flat durable PVC rungs

Design: : Ladder have extended clips to join together with other ladder


Rung Size: 41cm length X 3cm width X 5mm thick

Width: 32 mm

Carry Bag: Comes in easycarry bag

Resistance: UV resistance

| | |
|-----------|----|
| ▪ DS-RFL2 | 2m |
| ▪ DS-RFL4 | 4m |
| ▪ DS-RFL6 | 6m |
| ▪ DS-RFL8 | 8m |



Color :

DOUBLE FLAT LADDER ADJUSTABLE

Material: Constructed of 25mm nylon webbing strap. Flat durable PVC rungs

Design: Ladder have extended clips to join together with other ladder

Rung Size: 41cm length X 3cm width X 5mm thick

Carry Bag: Comes in easycarry bag

Resistance: UV resistance

| | |
|-----------|----|
| ▪ DS-DFL2 | 2m |
| ▪ DS-DFL4 | 4m |
| ▪ DS-DFL6 | 6m |
| ▪ DS-DFL8 | 8m |



Color :

TRIPLE FLAT LADDER ADJUSTABLE

Material: Constructed of 25mm nylon webbing strap. Flat durable PVC rungs

Design: Ladder have extended clips to join together with other ladder

Rung Size: 41cm length X 3cm width X 5mm thick

Carry Bag: Comes in easycarry bag

Resistance: UV resistance

| | |
|-----------|----|
| ▪ DS-TFL2 | 2m |
| ▪ DS-TFL4 | 4m |
| ▪ DS-TFL6 | 6m |
| ▪ DS-TFL8 | 8m |



Color :

FLAT RING


Material: Constructed with durable PVC material, Joined together with velcro tabs

Design: Rings can be adjusted to different angles for types of drills

Sets: Set of 12 flat rings

Resistance: UV resistance

| | |
|-----------|---------|
| ▪ DS-FR18 | 18" Dia |
|-----------|---------|



Color :

RING LADDER48

Hoops & Webbig: Flat agility hoops with Red, Blue, Green & Yellow to the fixed webbig

Fold up easily, with carry bag

Ring Color: Provide Single color flat ring

Size: Ring 48 CM

No of ring: 12

| | |
|-----------|--|
| ▪ DS-RL48 | |
|-----------|--|



Color :

HULA HOOP

Material: Constructed with durable PVC material, Joined together with velcro tabs

Design: Rings can be adjusted to different angles for types of drills

Sets: Set of 12 round rings with joints

Resistance: UV resistance

| | |
|-----------|--------|
| ▪ DS-HH18 | 18 Dia |
| ▪ DS-HH24 | 24 Dia |
| ▪ DS-HH30 | 30 Dia |
| ▪ DS-HH36 | 36 Dia |



Color :

CRISS-CROSS LADDER

It is use to perform different type of training drills by adjusting sticks in different ways and direction

Carry Bag: Comes in carry bag

| | |
|-----------|----|
| ▪ DS-CCL4 | 4m |
| ▪ DS-CCL8 | 8m |



Color :

FLAT SPEED LADDER QUAD


Ladder have extended clips to join together with other ladder. Provides opportunity to configure variety of drills.

Carry Bag: Comes in a drawstring carry bag.

Rung Size: 2m, No. of Rungs 5x4, Set consists of 4 ladders flat.

Resistance: UV resistance

| | |
|-----------|--|
| ▪ DS-FSLQ | |
|-----------|--|



Color :

OCTA RING LADDER

Material: Constructed with durable PVC material

Design: Octagon shaped rings can be snapped together to create a multitude of formations, including a hurdle ladder. Joined together with velcro tabs.

Sets: Set includes 6 octagons, 5 joining clip. Rings measure 50 cm and can be joined to create a straight ladder measuring 19 long.

Carry Bag: Comes in easy carry bag

Resistance: UV resistance

| | |
|-----------|-------------|
| ▪ DS-ORL6 | Octagons -6 |
|-----------|-------------|



HULA HOOP MULTI COLOUR

Multi Color Hoola- Hoops
Size: 19 mm Thickness

| | |
|-----------------|-----------|
| ▪ DS-PAINOUTR12 | 12" x 18" |
| ▪ DS-PAINOUTR15 | 15" x 18" |
| ▪ DS-PAINOUTS15 | 15" x 18" |

Color : **Multi-Colored**

REFEREE EQUIPMENT



Color :


TACTICS BOARDS SMALL

Size: 30cm X 45cm with 26 magnetic coins (12 red 12 blue & 2 yellow) 1 marker 1 cleaner

Board Material: High quality laminated boards with aluminum corner protective frame

Hook: Adjustable two hook for wall mounting

▪ DS-TBS



Color :

TACTICS BOARDS LARGE/ EXTRA LARGE

Size(L): 45cm X 60cm with 26 magnetic coins (12 red 12 blue & 2 yellow) 1 marker 1 cleaner, **Size(XL):** 60cm X 90cm with 26 magnetic coins

Board Material: High quality laminated boards with aluminum corner protective frame

Hook: Adjustable two hook for wall mounting

▪ DS-TBL 45cmX60cm
▪ DS-TBXL 60cmX90cm



Color :

SUBSTITUTION BOARDS LARGE

Board size: 35cm X 76 cm

Each digit size : 25cm

Thickness: 3mm

Board Material: 4mm Melamine

Design: Easy flip on digit with elastic

▪ DS-SBL



Color :

REFEREE COMMUNICATION SET

- F6 Mesh Referee Intercom

- The world's first referee intercom using MESH intercom. The signal is good and has strong penetrating power. It will no longer be disconnected when the referee runs and moves freely on the field, nor will it be disconnected after the referee leaves.

- Support 6-person MESH group intercom. The intercom range covers the entire football field. Support channels switching with a total of five channels. Only on the same channel can you talk at the same time.

- High encryption, no machine other than the one paired at the same time can enter the intercom. and do not interfere with each other with the same referee group nearby support microphone mute. Type C interfere three-in-one upgrade, charging and headphone IP67 waterproof no longer bothered by being unable to use during rainy days.

- Easy to operate quickly match 6 machines with one click and not easy to accidentally touch

▪ DS-RCS



Color :

REFEREE BEPPER FLAG

RMB- 2280

Product Net Weight: 1.86 kg

After Packaging Weight: 2.31 kg

Product size: 66x27x9cm

Technical Parameters:

- Communication distance: 100-150(m)

- Working hour: 3-4 hours

- Battery capacity: 3.7/600mah

Product Configuration Tabel:

- Electronic flag handle*3

- Electronic flag*2

- Referee vibrating armband*1

- 3.5mmdc interface one-to-two

- Charging cabel*2

- Dual USD interface fast charger*1

▪ DS-RCF



Color :

REFEREE JERSEY SET

Material: Micro Polyester

Size: Regular Fit

Superior Colour Fastness

▪ DS-RJS



Color :

REFEREE CARD SET

Material: Made in top-quality PVC (Polyvinyl chloride), Water proof Non tearing

- Yellow and Red Referee cards, with scorebook and pencil, Used to mark coin toss, scores, fouls etc.

- Suitable for referees, all kinds of sport competition, coaches, training, instructors, sports, lifeguards, self-defense, survival, emergency, even herding

- Comes with Black Referee wallet, to store and keep Red Yellow cards

▪ DS-RCS



Color :

SUBSTITUTION BOARDS ELECTRONIC

Size: 25 X 5 cm

Battery: Substitution board with battery backup

Digit size: 20cm

Sheet Material: 3mm unbreakable poly carbonate sheet with fixed text in laminated vinyl print, Rain water proof resistance

Coating: MS powder coated (Black)

Adopter: Comes with battery charging adopter

▪ DS-SBE



Color :

LINEMAN FLAG DELUXE

Pipe: PVC Pipe

Design: Regulation Linesmen Flag. Foam handles make them comfortable to hold. Perfect handles for smooth flag movement.


Available In Design:

- Diamond.

- Square.

- Plain

▪ DS-LFDDIAMOND
▪ DS-LFDSQUARE
▪ DS-LFDPLAIN



Color :

LINEMAN FLAG INTERNATIONAL

Pipe: Aluminium Pipe

Design: Regulation Linesmen Flag. Foam handles make them comfortable to hold. Perfect handles for smooth flag movement.

Available In Design:

- Diamond.

- Square.

- Plain

▪ DS-LFIDIAMOND
▪ DS-LFISQUARE
▪ DS-LFIPLAIN

VEO CAM 3+5G

Sharp video quality

New generation lenses and the introduction of HDR ensure sharp video quality and vibrant colors on all recordings.



Improved recording quality

The introduction of wind noise reduction and image stabilization gives you a clear and steady sound and picture.



Ready for all conditions

The camera is built and tested to record at -10 °C to 45 °C. Rain, snow, or direct sunlight? VEO Cam 3 works in all weather conditions.




Long battery life

The battery in VEO Cam 3 can record and live-stream for up to 4.5 hours – enough for several full games on a single charge.

Improved control range

The VEO Cam 3 has an improved control range. This means you can control the camera and watch instant playback on the phone without standing right next to it.



The VEO Cam 3 5G has a SIM card slot, so you can use a 4G or 5G nano SIM card and a hotspot/WiFi connection to live stream your matches. VEO Cam 3 doesn't have a SIM card slot, but you can still live stream your matches using a hotspot/WiFi connection.

Connectivity: Improved control range, offers a seamless experience with the VEO Camera app. Enhanced WiFi coverage lets you enjoy a faster and more stable upload.

Live-Streaming: 5G ready, keeps you future-proofed with the latest 5G technology and also compatible with 4G. Automatic cell tower selection, ensures consistent connectivity without any interruptions. Long range antenna design, makes the connection reliable from greater distances.

Video: Sharper video quality with our new generation of lenses. Introducing HDR for vibrant, true-to-life colors that make your footage come alive.

Material:

- Rugged shell with edge protection, with our new soft touch material guarding against impacts and scratches.
- Functions from -10 °C to 45°C, to handle extreme weather conditions.
- The camera is resistant to rain and solar radiation.

Other details about the camera dimensions:

Width: 209mm, **Height:** 63mm (excluding quick mount), **Depth:** 189mm, **Weight:** 1.25kg, **Storage:** 96,81 GB

- Active cooling, LEDs for mode indication

****Authorised Exporter of Product**




Color: 

VEO CARBON TRIPOD 7.4 METER

- The VEO (7.4m) carbon fiber camera tripod is a lightweight yet incredibly durable accessory designed for professional recording of matches and training sessions from a high vantage point. Its carbon fiber construction combines stability with ease of transport.
- With an adjustable height of 7.4 meters, it allows for capturing the entire action on the field, providing an excellent analytical perspective.
- Perfect for sports teams and coaches who require mobility and the highest quality shots.
- The 7.4-meter tripod is recommended for conducting detailed analysis as it provides a good view of the entire field.
- When folded, the tripod measures 161 cm and weighs 7.1 kg.

■ BB-006

7




EASY TO SET UP

The VEO Tripod's twist-and-lock extend system makes it simple and quick to set up. The tripod is a safe and firm solution to raise your VEO Cam to the sky.



BRING IT ANYWHERE

You can bring it anywhere with its compact design and lightweight carbon composite.



STABLE AND SAFE

The camera tripod stands stable and robust. For the windiest days, we've added a wind stability kit to keep everything in place.



VEO CAM 3 TRAVEL CASE

Veo Travel Suitcase is a sturdy and lightweight suitcase designed for safe storage and transportation of Veo Cam 3 camera. Its durable construction protects the device from damage, while the carefully designed interior ensures a perfect fit for the camera and accessories. An ideal choice for teams, coaches, and analysts who frequently travel and need reliable equipment protection.

Dimensions: 34 cm x 15 cm x 30 cm L/W/H

Color : XXXX

VEO EDITOR: Analyze and share every great moment



Automatically Detected Events: Veo's AI automatically breaks down your entire game and tags the most important events. Game key moments like goals and shots on goal for football, tries and penalties for rugby, face-offs/draws for lacrosse, and many more are tagged up. You quickly get an overview – detected and delivered for you.

Create your own events: Did the AI miss an important moment? No problem – we've got you covered! With just a few clicks, you can create your own events to ensure you get a complete overview of all the important match highlights

Assign players: To truly understand a team's performance, it's essential to have a detailed view of each player's contribution. So why not take your precision analysis to new heights by assigning each event to the player who executed it – including assists. With Assign Assist, you can now credit players for their decisive passes leading to goals, ensuring every key moment gets the recognition it deserves.

Get the full picture: With the Veo Analytics add-on, you get access to a stats table that is populated with all the events tagged up in the Veo Editor, to give you a full overview of how your team performed. By tagging players in events, you are able to see individual player stats to help your players evaluate their own performance and grow.

VEO CAM 3+5G: SOFTWARE BASE

Create engaging learning experiences with Veo: Players are visual learners. Use video to create educational content for your players. Help each player develop their skills and guide the team to victory with Veo.



Create your own clips: As the Veo Cam records the full field at all times, you can create highlights of exactly the moments and areas of the pitch you want. You can zoom, pan, and trim the video how you like



Tag and comment: Tag players and write comments on each clip to help your players develop and grow. You can tag players, groups, or the entire team

| Last 10 recordings | | |
|--------------------|---------------------|-------|
| Starts | Player of the Match | Goals |
| 3 | 2 | 1 |
| 2 | 3 | 0 |
| 4 | 0 | 1 |
| 5 | 1 | 0 |
| 3 | 0 | 0 |

Draw-on-screen: Make your points stand out with spotlights, shapes, lines, and arrows. Stop the recording, draw on the screen, and share with the players.

TIMELINE

See the game's progression

On the multi-dimensional timeline, you can quickly get an overview of each specific kind of highlight – and at which time and sequence it happened. All ready to present to your players.

SPEEDRUN

Skip the stoppage

Skip the moments where the ball goes out of play with Speedrun. It automatically cuts when players run to collect the ball for throw-ins, corners, goal kicks, etc.

PLAYBACK SPEED

Control the pace

Speed up or slow down the playback speed. You can fast forward to the greatest moments and slow down and enjoy them to the fullest.

DIFFERENT VIEWS

Get a different perspective

Watch your recordings in three different views: Watch the broadcast-like standard view with Veo follow-cam that pans and zooms, depending on the action on the field. Take over the camera and focus on exactly what you want in interactive mode, or see the entire field with the Panorama view.

JOURNAL

Your personal notes – always at hand

Write your reflections for each game to the match summary that already includes the score, who played, and other details. This way, you can add your comments with more context and easily dive back into a game.

Journal

What went right? What went wrong? What is the one thing the team should do next time?

Journal visible to team members only

SHARE THE MOMENT

Save your highlights and share your greatest moments with friends and family

Filter and download the highlights. Export them into your favorite platforms and share them with anyone you want. You can choose any moment of the game and turn it into a lifetime memory.

PLAYER PROFILE

Share your highlights with the world. With your own personalized page, you can share your best moments on the field. Share the profile page with scouts, recruiters, and college coaches you want to impress.



Choose the highlights:

Add the newest highlights to your profile and keep it updated. You can add the clips directly from the Veo Editor.



Curate your clips:

Choose exactly the clips you want to present a comprehensive picture of you as a player. Give the clips different tags to give the complete picture.



Share your profile:

Share your profile with scouts, recruiters, and coaches you want to impress. Sharing your profile will give you an advantage when competing for college scholarships.



Give the full picture:

Include the things that a video clip can't; a short bio, favored positions, playing style, and graduation year. This makes the Player Profile now a complete presentation of you as a player, and a big help to the scouts and coaches you want to impress.

VEO CAM 3+5G SUBSCRIPTION PLAN

Enterprises
for two year

Enterprises
Analytics for two year

Enterprises Player
Spotlight for two year

Enterprises Live-
Streaming for two year

VEO ANALYTICS: Break your game down, and lift your team up



Choose the highlights:

Add the newest highlights to your profile and keep it updated. You can add the clips directly from the Veo Editor.



Choose the highlights:

Add the newest highlights to your profile and keep it updated. You can add the clips directly from the Veo Editor.




Choose the highlights:

Add the newest highlights to your profile and keep it updated. You can add the clips directly from the Veo Editor.



Momentum graph:

Get quick insight into which team is controlling the game's momentum. The data is generated using a combination of player positions and running speed.



Heatmap

See your or the opponent's positioning throughout the match or in specific game periods. Learn how your team uses the space and recognize where there is room to exploit your opponent.



Advanced match stats:

With Veo's AI-generated match stats, you get a tally of the game's passes, shots, freekicks, possession, and much more.



PROGRESSION CHART

Chart your development

Select your key metrics and see how your team is performing and progressing throughout the season – and from year to year. Compare the stats you find important and characteristic of your team's philosophies.

COMPARISON RADIAL

Compare performances over time

Compare metrics between different teams within your club or your own team in different periods. With the diamond shape, you can see how different teams perform on the parameters you choose. You can compare each of our AI-powered statistics.



GAME MAPS

Uncover trends in finishing and passing

For each of Veo Analytics' game maps (shot map, pass location, and pass strings), you can see the total combined data from the games in your library – not just from one game. This means you can spot tendencies over time.




PLAYER STATS

Track the individual progress

Get a stats tally for each player, and track the individual development. The personalized player stats are available with Veo Analytics, and players can add the data to their player profile.




VEO LIVE: Bring your games to live, Stream to any destination, Live-stream your games to the Veo Live app, external streaming services, or social media.



RTMP
Stream to all your favorite platforms


Stream to external streaming platforms and social media like YouTube, Facebook, Twitch, and many others. Or stream to your own platform with Veo's RTMP – streaming to external platforms.



VEO LIVE APP
All your live streams in one place


All Veo live games are cast to the Veo Live app. Share the game experience by sending links to specific streams or encourage your community to follow your team in the app. When viewing the live games, you can send your reactions and cast the game to bigger screens.

VEO LIVE APP
Engage your fan base



NOTIFICATIONS
Never miss a moment

Stay connected with friends, family, and fans. When you live-stream to the Veo Live App, a push notification is sent to your community, reminding them to join your game.



INSIGHTS
Check your stats

Curious about your live streams' engagement and viewership? You can see how the viewers engage with your streams and how many watch each of your games when you stream to the Veo Live App.



Overlays Keep track of score and time:

In just a few simple steps, you can add score and time displays to your streams, providing your viewers with a full overview of the game, just like in any other live sports broadcast.



Overlays Add your logo:

Your logo=brand recognition. With Veo Live, your team's logo will be displayed in the top corner of your stream, adding a professional touch and strengthening your team's identity.



Overlays Sponsor overlays pay off:

Why not turn your streams into an opportunity to fund your team's goals? With promotional overlays, you can showcase your sponsors directly on the live stream and generate additional revenue while delivering great content.

VEO PLAYER SPOTLIGHT: Grow the talent with individual player tracking



Player Moments:

All sequences involving a specific player are now available to watch and review. Player Moments is an excellent tool for curious players who want to study their own game and develop with video and for coaches to provide individual feedback..



Add to your player profile:

Add the best of the automatic highlights to your player profile and share them with the scouts, recruiters, and coaches you want to impress.



Full Control:

Control the Player Moment's sensitivity by adjusting the player's distance to the ball, time on the ball, and how much time you want to add before and after each moment.

BIBS



Color :     

TRAINING BIBS DELUXE

Material: : Constructed of soft polyester mesh fabric ideal for training

Resistance: UV resistance

| | |
|------------|---------------------|
| ■ DS-TBBS | Small: 50X40cm |
| ■ DS-TBBM | Medium: 60X50cm |
| ■ DS-TBBL | Large: 66X50cm |
| ■ DS-TBBXL | Extra Larg: 72X60cm |



Color :     

TRAINING BIBS INTERNATIONAL

Material: Constructed soft silky shiny imported polyester mesh fabric.

Black enforced allover sides

| | |
|------------|---------------------|
| ■ DS-TBIS | Small: 50X40cm |
| ■ DS-TBIM | Medium: 60X50cm |
| ■ DS-TBIL | Large: 66X50cm |
| ■ DS-TBIXL | Extra Larg: 72X60cm |



Color :     

TRAINING BIBS INTERNATIONAL WITH ELASTIC

Material: Constructed soft silky shiny imported polyester mesh fabric with elastic.

Black enforced allover sides

| | |
|-------------|---------------------|
| ■ DS-TBIES | Small: 50X40cm |
| ■ DS-TBIEM | Medium: 60X50cm |
| ■ DS-TBIEL | Large: 66X50cm |
| ■ DS-TBIEXL | Extra Larg: 72X60cm |






REVERSIBLE TRAINING BIBS


Material: Constructed soft silky shiny imported polyester mesh fabric.

- Can be reversed both side with different colour
- Black Binding on arms & neck
- Azo Free Dyes

| | |
|------------|----------------------|
| ■ DS-RTBS | Small: 50X40cm |
| ■ DS-RTBM | Medium: 60X50cm |
| ■ DS-RTBL | Large: 66X50cm |
| ■ DS-RTBXL | Extra Large: 72X60cm |

Color :     

REBOUNDER



Color :     

TCHOUKBALL OFFICIAL


Material: 16 Gauge steel pipe with powder coating, Strong reaction net with UV coating, Fitted with anti slip floor guards Free standing adjustable frame

Size: 32 mm round

Angle: Frame angle 55 degrees

Use: Can be used for tchoukball official game spec as per tchoukball federation

| | |
|----------|-------|
| ■ DS-TBO | 1m×1m |
|----------|-------|



Color :     

TCHOUKBALL TRAINING

Material: 16 Gauge steel pipe with powder coating, Strong reaction net with UV coating, Fitted with anti slip floor guards Free standing adjustable frame

Size: 32 mm round

Angle: Frame angle 55 degrees

Use: Can be used for tchoukball training or rebound reaction games for soccer training

| | |
|----------|-------|
| ■ DS-TBT | 1m×1m |
|----------|-------|



Color :     

DELUXE REBOUNDER

Material: 16 Gauge steel pipe with powder coating, reaction net with UV coating, Fitted with anti slip floor guards, fully collapsible steel construction Free standing adjustable frame

Size: 25 mm round

Angle: Adjustable at different angles.

| | |
|------------|-------|
| ■ DS-DELXR | 1m×1m |
|------------|-------|



Color : Multi-Colored

DUAL REBOUNDER

Material: 16 Gauge steel pipe with powder coating, have different mesh nets on both sides

Size: 32 mm round,

Angle: 5 Angle adjustments

Use: Can be used for multi-sport training, ideal doe team training

| | |
|---------|---------|
| ■ DS-DR | 1m X 1m |
|---------|---------|



Color :     

SPORTS TCHOUKBALL

Material: 14 Gauge steel pipe with powder coating, robust net, non-slip rubber feet

Mesh Size: 40 mm

Angle: Adjustment mechanism incl. spring-loaded cross strut for flexible angle adjustment (55-65 degrees)

Use: Can be used for multi-sport training, ideal doe team training

| | |
|---------|---------|
| ■ DS-ST | 120×120 |
|---------|---------|



Color :     

HAND HELD REBOUNDER

Material: 16 Gauge steel pipe with powder coating, Light weight and easy to carry

Mesh Size: 32 mm

- Perfect for goal keeper training session
- Have two sides handles, allowing net to be
- Twisted, making there bounds unpredictable

| | |
|----------|---------|
| ■ DS-HHR | 50X50cm |
|----------|---------|

BALL CARRY BAGS



Color :

BALL CARRY BAG 3 BALL

Material: : Constructed from 600D fabric with air mesh panels
Ball Carry with reinforced ase and should strap
Balls: Available to carry 3 balls

■ DS-BC3 58x23x23cm



Color :

BALL CARRY BAG 6 BALL

Material: Constructed 600D fabric with air mesh panels
Ball Carry with reinforced ase and should strap
Balls: Available to carry 6 balls

■ DS-BC6 60x30x30cm



Color :

BALL CARRY BAG 9 BALL

Material: Constructed 600D fabric with air mesh panels
Ball Carry with reinforced ase and should strap
Balls: Available to carry 9 balls

■ DS-BC9 71x40x40cm



BALL CARRY BAG 15 BALL

Material: Constructed 600D fabric with air mesh panels
Ball Carry with reinforced ase and should strap
Balls: Available to carry 15 balls

■ DS-BC15 100X50X50cm

Color :

MISCELLANEOUS ACCESSORIES



Color :

WHISTLE FOX 40

- Ideal for Coaching & Referee Use
- The ergonomic finger grip ensures that you get good control while blowing this whistle.
- This Official Pealess Whistle comes with a lanyard with which you can easily wear it around your neck.

■ DS-WF40 1m×1m



Color :

WRIST MARKING BAND SATIN

Material: Satin
- Best quality satin wrist band
- Entry/markin satin wrist band

■ DS-WMBS 13"



Color :

LANYARDS

Pattern: Plain

■ DS-LAN



Color : All-Colors

DOTTED TENNIKOIT RINGS

Dotted Soft Rubber rings suitable for throwing and catching activities

■ DS-DTR



Color :

REACTION BALL LARGE

Material: Soft Rubber
Use: Great for improving hand/eye co-ordination, balance and quickness.
Bounce unpredictable when drop on ground

■ DS-RBL100 100m



Color :

REACTION BALL SMALL

Material: Soft Rubber
Use: Great for improving hand/eye co-ordination, balance and quickness.
Bounce unpredictable when drop on ground

■ DS-RBS70 70m



TENNIKOIT RINGS

Material: Soft Rubber rings suitable for throwing and catching activities

▪ DS-TR

Color :     



JUMP ROPE

Material: Plastic Handle PVC rope adjustable

▪ DS-JR 9"

Color :     



JUMP ROPE TROLLEY

Material: : Made of powder coated steel tubing
Holds more than 200 ropes

▪ DS-JRT 65"x23"x23"

Color :     






STOP WATCH-SPRINTER

Material: Nylon fabric neck strap for easy carrying

Sprinter: SW1009: 1/100 second chronograph up to 23 hours, 59 minutes, 59 seconds SPLIT/ RESET, MODE and START/STOP buttons Hourly chime function and alarm function are included.

Square design, plastic construction and LCD display Shows hour, minute, second, AM/PM indicator, month, date, and day of the week.

▪ DS-STOPW

Color :     



DOUBLE ACTION FOOTBALL BALL PUMP

- Double action push and pull technology
- Compact and Pocket Size
- Quick and easy method to inflate footballs, basketballs, volleyballs handballs and many others.
- Pumps Air on Both Upstroke and Downstroke

▪ DS-DABP

Color :     

INFLATABLE BALLS

disport[®]
get your game on



FOOTBALLS

FIFA APPROVED BALLS - BALL FOR INTERNATIONAL MATCH

**Authorised Exporter of Product

Color :     

SHAstra

- 0.8mm Prisma PU - China
- Polyester Laminated Butyl Bladder
- 3.8mm EVA Backing
- **8 PANEL**
- **THERMOBOND**

■ FBTB-06 5

Color :     

TRIVELA

- 0.8mm Prisma PU - China
- Polyester Laminated Butyl Bladder
- 3.8mm EVA Backing
- **32 PANEL**
- **THERMOBOND**

■ FBTB-05 5

Color :     

ASHTANG 2.0

- Micro Fiber Japanese PU 1.3mm
- 4 Layer Polyester Cloth
- Latex Bladder
- **32 PANEL**
- **HANDSTITCHED**

■ FB-8521 5

Color :     

BRACE

- 0.8mm Prisma PU - China
- Polyester Laminated Butyl Bladder
- 3.8mm EVA Backing
- **24 PANEL**
- **THERMOBOND**

■ FBTB-10 5

Color :     

RANGER

- 0.8mm Prisma PU - China
- Polyester Laminated Butyl Bladder
- 3.8mm EVA Backing
- **14 PANEL**
- **THERMOBOND**

■ FBTB-11 5

Color :     

DOMINATOR

- Textured TPU with EVA Backing
- Polyester Yarn Laminated Butyl Bladder
- **32 PANEL**
- **THERMOBOND**

■ FBTB-09 5

FIFA APPROVED BALLS - BALLS FOR DIVISION 1, 2 & 3 MATCHES

**Authorised Exporter of Product

Color :     

EQUATOR

- 0.8mm Textured Prisma PU - India
- 1 Layer Polyester
- Wound Synthetic Bladder
- 4mm EVA Backing
- **32 PANEL**
- **HYBRID FUSION**

■ FB-245 5

Color :     

DOMINATOR 3.0

- 0.8mm Prisma PU - China
- Polyester Laminated Butyl Bladder
- 3.8mm EVA Backing
- **32 PANEL**
- **THERMOBOND**

■ FBTB-0 5

Color :     

RABONA PRO

- 4mm Glossy TPU - China
- 1 Layer Polyester
- Wound Synthetic Bladder
- **32 PANEL**
- **HYBRID FUSION**

■ FB-80075LO 5

Color :     

TIKI-TAKA

- Embossed
- 1 mm Lattice PU
- 1 Layer Polyester
- Wound Synthetic Bladder
- 4mm EVA Backing
- **16 PANEL**
- **HYBRID FUSION**

■ FBPS-1601 5

Color :     

VIPER

- Embossed
- PU Vimni 1mm Wound Synthetic
- Bladder 1 Ply Cloth lamination
- 4mm EVA Backing
- **14 PANEL**
- **HYBRID FUSION**

■ FBPS-1401 5

Color :     

TREBLE

- Embossed
- 1mm Textured Vimni PU - India
- 1 Layer Polyester
- Wound Synthetic Bladder
- EVA Backing
- **12 PANEL**
- **HYBRID FUSION**

■ FBPS-1201 5



Color :

MERCURY

- Embossed
- 1.3 mm Spiro PU
- 1 Layer Polyester
- Wound Synthetic Bladder
- 2mm+2mm EVA Backing
- **32 PANEL**
- **HYBRID FUSION**

■ FBPS-2277W 5



Color :

CAPITANO

- Embossed
- 1.3 mm Spiro PU
- 1 Layer Polyester
- Wound Synthetic Bladder
- 2mm+2mm EVA Backing
- **32 PANEL**
- **HYBRID FUSION**

■ FBPS-3201 5



Color :

MAVERICK

- Embossed
- 1.2 mm Textured Tag PU
- 1 Layer Polyester
- Wound Synthetic Bladder
- 2mm+2mm EVA Backing
- **16 PANEL**
- **HYBRID FUSION**

■ PS-1602 5



FLARE

- Embossed
- 1.4mm Microfiber PU Wound
- 1 Layer Polyester
- Synthetic Bladder
- 2mm+2mm EVA Backing
- **8 PANEL**
- **HYBRID FUSION**

■ FBPS-802 5

Color :

PRO TRAINING BALLS-SCHOOL/ENTRY LEVEL BALLS

****Authorised Exporter of Product**



AIRSTRIKE

- Foamed Prisma PVC
- 2 Ply Cloth lamination
- Butyl Bladder
- **32 PANEL**
- **HYBRID FUSION**

■ FB-80080 5

Color :

LEATHER MEDICINES BALLS




LEATHER STITCHED MEDICINE BALL- 2 PANEL

- Medicine ball leather hand stitched 3mm leather

| | |
|------------|-------------|
| ■ DS-LSMB1 | 18cm(1kg) |
| ■ DS-LSMB2 | 19.5cm(2kg) |
| ■ DS-LSMB3 | 21cm(3kg) |
| ■ DS-LSMB4 | 22.5cm(4kg) |
| ■ DS-LSMB5 | 24.5cm(5kg) |
| ■ DS-LSMB6 | 26cm(6kg) |

FUTSAL

****Authorised Exporter of Product**



FORCEFUTSAL

- PU 3D Gloss 1.3mm
- 3 Layer Polyester Cloth Latex Bladder
- **32 PANEL**
- **HYBRID FUSION**

■ FB-275 5

Color :

FELT FOOTBALL



Color :

INDOOR FELT FOOTBALL- 3 PLY

- 3 Ply Structure
- 32 Panels Felt Cover

■ DS-FFB35 5
■ DS-FFB34 4



Color :

INDOOR FELT FOOTBALL- 2 PLY

- 2 Ply Structure
- 32 Panels Felt Cover

■ DS-FFB25 5
■ DS-FFB24 4

1 adidas Fußball „Euro 24 League“

Hervorragender Fußball in Design und Farbe wie der offizielle Spielball. Optimaler Grip, nahtlose Oberfläche und hohe Strapazierfähigkeit.

100% rec. Thermoplastisches Polyurethan

B0008 Größe 4

B0009 Größe 5

2 adidas Fußball „Euro 24 Training“

Strapazierfähiger Trainingsball. Maschinengenäht.

100% rec. Thermoplastisches Polyurethan

B0005 Größe 3

B0006 Größe 4

B0007 Größe 5



3 adidas Fußball „EURO 24 Club“

Strapazierfähiger Trainingsball mit optimalen Spieleigenschaften. Maschinengenäht.

100% rec. Thermoplastisches Polyurethan

B0014 Größe 3

B0015 Größe 4

B0016 Größe 5



5 adidas Fußball „EURO 24 Training Sala“

Futsal mit geringem Rückprall, maschinengenäht.

B0022 Größe FUTS



adidas Fußball „Euro 24 Pro“ Fußballliebe

Offizieller Spielball der UEFA Europameisterschaft 2024. Eine nahtlose Oberfläche sorgt für ein präzises Flugverhalten, bessere Ballkontrolle und eine geringe Wasseraufnahme.

100% Polyurethan

B0024 Größe 5



adidas Fußball „Euro 24 Competition“

Hochwertiger Spielball mit besten Spieleigenschaften, nahtloser Oberfläche und optimales Ballgefühl.

100% Polyurethan

B0002 Größe 4

B0004 Größe 5


ZUR FUSSBALLLIEBE



JETZT BESTELLEN

adidas Fußball „Tiro Pro“

Spielball mit hervorragenden Spiel- und Flugeigenschaften, nahtlose Oberfläche für bessere Griffbarkeit und geringere Wasseraufnahme. 100% Polyurethan.
2-5900 Größe 5



adidas Fußball „Tiro League TSBE“

Strapazierfähiger Fußball mit nahtloser Oberfläche für bessere Flugeigenschaften, besseren Kontakt und geringere Wasseraufnahme. Für Training und Wettkampf geeignet. 100% Thermoplastisches Polyurethan
2-5914 Größe 4
2-5915 Größe 5



adidas Fußball „Tiro Competition“

Hochwertiger Spielball mit besten Spieleigenschaften, nahtloser Oberfläche, optimales Ballgefühl. 100% Polyurethan
2-5913 Größe 4
2-5910 Größe 5



adidas Fußball „Tiro League TB“

Strapazierfähiger Fußball mit nahtloser Oberfläche für bessere Flugeigenschaften, besseren Kontakt und geringere Wasseraufnahme. Für Training und Wettkampf geeignet. 100% Polyamid
2-5927 Größe 4
2-5926 Größe 5



adidas Fußball „Tiro Club“

Preiswerter Trainingsball in Top-Qualität. Durch die maschinell genähte Konstruktion gewährleistet der Ball einen weichen Griff und hohe Haltbarkeit. 100% Thermoplastisches Polyurethan
2-5919 Größe 3
2-5918 Größe 4
2-5916 Größe 5



adidas Fußball „Tiro Match“

Trainingsball mit guten Spieleigenschaften und optimalem Grip, sehr strapazierfähig. 100 % Polyurethan
2-5934 Größe 3
2-5935 Größe 4
2-5930 Größe 5



adidas Fußball Tiro League Sala Futsal

Robuster Sala-Ball mit geringem Rückprall, hervorragend geeignet für schnelles Passen und gutes Kurzpass-Spiel, nahtlose Oberfläche. 100 % thermoplastisches Polyurethan
2-5943 Größe 3
2-5940 Größe Futsal

ACCESSOIRES

TIRO PRO

TIRO PRO

MATERIAL 100% POLYETHYLEN
GRÖSSEN 5
GEBRAUCH FÜR ALLE OBERFLÄCHEN

LAUFZEIT —→ FEB 2026



WHITE
BLACK
IRON MET.
POWER RED
HT2428



TIRO PRO WINTER

TIRO PRO W

MATERIAL 100% POLYURETHAN
GRÖSSEN 5
GEBRAUCH FÜR BESSERE SICHTBARKEIT

LAUFZEIT —→ FEB 2026



SOLAR ORANGE
BLACK
IRON MET.
TEAM SOLAR YELLOW
IB2241



TIRO COMPETITION

TIRO COM

MATERIAL 100% POLYURETHAN
GRÖSSEN 4, 5
GEBRAUCH FOR ALL SURFACES

LAUFZEIT —→ FEB 2026



WHITE
BLACK
TEAM SOLAR ORANGE
TEAM ROYAL BLUE
HT2426



TIRO LEAGUE THREADLESS SEAMLESS BEVELED EDGE

TIRO LGE TSBE

MATERIAL 100% THERMOPLASTISCHES POLYURETHAN
GRÖSSEN 4, 5

LAUFZEIT —→ FEB 2026



WHITE
TEAM ROYAL BLUE
TEAM SOLAR ORANGE
HT2422



WHITE
TEAM ROYAL BLUE
LIGHT BLUE
HT2429



WHITE/TEAM
COLLEG BURGUNDY
TEAM COLLEG RED
HZ1294



SOLAR YELLOW
BLACK
IRON MET.
HZ1295



SOLAR GREEN
SILVER MET.
WHITE
HZ1296

WHITE
BLACK
IRON MET.
SOLAR YELLOW
HT2423



WHITE
SOLAR RED
IRON MET.
HT2425



ACCESSOIRES & ZUBEHÖR

ACCESSOIRES

TIRO LEAGUE THERMAL BONDED

TIRO LGE TB

MATERIAL 100% POLYAMID
GRÖSSEN 4, 5

LAUFZEIT —→ FEB 2026

TIRO MATCH ARTIFICIAL

TIRO MTC ART

MATERIAL 100% POLYAMID
GRÖSSEN 4, 5
GEBRAUCH FÜR KUNSTRASEN

LAUFZEIT —→ FEB 2026

TIRO LEAGUE SALA

TIRO LGE SAL

MATERIAL 100% THERMOPLASTISCHES
POLYURETHAN
GRÖSSEN 3, FUTS
GEBRAUCH INNEN

LAUFZEIT —→ FEB 2026

ACCESSOIRES

TIRO LEAGUE J350

TIRO LGE J350

MATERIAL 100% THERMOPLASTISCHES
POLYURETHAN

GRÖSSEN 4,5

GEBRAUCH FÜR KINDER

LAUFZEIT —→ FEB 2026

**WHITE
BLACK
TEAM SOLAR GREEN**
HT2427



TIRO LEAGUE J290

TIRO LGE J290

MATERIAL 100% THERMOPLASTISCHES
POLYURETHAN

GRÖSSEN 4,5

GEBRAUCH FÜR KINDER

LAUFZEIT —→ FEB 2026

**WHITE
BLACK
TEAM SOLAR ORANGE**
HT2424



TIRO MATCH

TIRO MATCH

MATERIAL 100% POLYAMID

GRÖSSEN 3, 4, 5

LAUFZEIT —→ FEB 2026

**WHITE
TEAM GREEN
TEAM SOLAR GREEN
BLACK**
HT2421



TIRO CLUB SALA

TIRO CLB SALA

MATERIAL 100% THERMOPLASTISCHES
POLYURETHAN

GRÖSSEN 3, FUTS

GEBRAUCH INNEN

LAUFZEIT —→ FEB 2026

**WHITE
SOLAR RED**
IX3823



ACCESSOIRES

TIRO CLUB

TIRO CLB

MATERIAL 100% THERMOPLASTISCHES
POLYURETHAN

GRÖSSEN 3, 4, 5

LAUFZEIT —→ FEB 2026



**SOLAR GREEN
BLACK**
HZ4167



**WHITE
BLACK**
HT2430



**WHITE
TEAM SHOCK PINK**
HZ6913



**WHITE
TEAM ROYAL BLUE**
HZ4168



PUMA ORBITA 1 TB FIFA QUALITY PRO



TECHNIK

Mit Hochfrequenz-Technik geformter Ball für ausgezeichnete Formbeständigkeit, Widerstandsfähigkeit und reduzierte Wasseraufnahme sowie ein softes Ballgefühl.

VEREDELUNG

Veredelung mit eigenem Vereinslogo möglich.



PANEL KONSTRUKTION

Neues 12-Panel-Konzept: Gleich große und gleichförmige Panels für perfekt ausbalanciertes Gewicht und Flugverhalten; vergrößerte und tiefliegende Nähte für einen positiven Effekt auf die Aerodynamik.

OBERFLÄCHE

Neue dreidimensional texturierte sowie 1,1mm dicke PU Oberfläche für mehr Strapazierfähigkeit und eine bessere Aerodynamik.

INNOVATION

Neu entwickelter POE-Schaum für festen Grip, verbesserte Rebound-Eigenschaften und explosive Power.

084322 PUMA Orbita 1 TB (FIFA Quality Pro)



5

30% PU, 30% Synthetischer Gummi (POE) Foam, 30% Synthetischer Gummi, 10% Polyester

Spielball auf höchstem Niveau. Thermisch geklebter Ball bietet hervorragende Formstabilität, Rundheit und geringe Wasseraufnahme, 12 Paneele, 3D-strukturierte, 2-mm-PU-Oberfläche für Haltbarkeit und Aerodynamik, neu entwickelter POE-Schaum sorgt für einen festen Griff, verbesserte Konsistenz des Rückpralls und explosive Kraft, Gummibläse mit PUMA Air Lock-Ventil

01 PUMA White-Multicolour • 03 Lemon Tonic-Multicolour

2025 - 2026

084323 PUMA Orbita 2 TB (FIFA Quality Pro)



5

30% PU, 30% Synthetischer Gummi (POE) Foam, 30% Synthetischer Gummi, 10% Polyester

Spielball auf höchstem Niveau. Thermisch geklebter Ball bietet hervorragende Formstabilität, Rundheit und geringe Wasseraufnahme, 32 Paneele, 3D-strukturierte, 1,0-mm-PU-Oberfläche für Haltbarkeit und Aerodynamik, neu entwickelter POE-Schaum sorgt für einen festen Griff, Gummibläse mit PUMA Air Lock-Ventil

01 PUMA White-Multicolour • 02 PUMA White-PUMA Black

2025 - 2026

084324 PUMA Orbita 3 TB (FIFA Quality)



5

30% PU, 30% EVA Foam, 30% Synthetischer Gummi, 10% Polyester

Spielball auf hohem Niveau. THB geformte Kugel: Thermo wärmeverbunden für optimale Formbeständigkeit, Haltbarkeit und reduzierte Wasseraufnahme, 32 Paneele

01 PUMA White-Multicolour • 02 PUMA White-PUMA Black

2025 - 2026

084325 PUMA Orbita 3 TB (FIFA Quality) Size 4



4

30% PU, 30% EVA Foam, 30% Synthetischer Gummi, 10% Polyester

Spielball auf hohem Niveau. THB geformte Kugel: Thermo wärmeverbunden für optimale Formbeständigkeit, Haltbarkeit und reduzierte Wasseraufnahme, 32 Paneele

01 PUMA White-Multicolour • 02 PUMA White-PUMA Black

2025 - 2026

084326 PUMA Orbita 4 HYB (FIFA Basic)



5

25% PU, 20% EVA, 7% Polyester, 48% Gummibläse
Hochwertiger Trainingsball mit guten Leistungskriterien für regelmäßiges Training und Spieleinsatz. Hybridkonstruktion: Keine sichtbaren Nähte für verbesserte Haltbarkeit, erhöhte Formkonsistenz und reduzierte Wasseraufnahme, 32 Paneele

01 PUMA White-Multicolour • 02 PUMA White-PUMA Black

2025 - 2026

084327 PUMA Orbita 4 HYB (FIFA Basic) Size 4



4

25% PU, 20% EVA, 7% Polyester, 48% Gummibläse
Hochwertiger Trainingsball mit guten Leistungskriterien für regelmäßiges Training und Spieleinsatz. Hybridkonstruktion: Keine sichtbaren Nähte für verbesserte Haltbarkeit, erhöhte Formkonsistenz und reduzierte Wasseraufnahme, 32 Paneele

01 PUMA White-Multicolour

2025 - 2026

084331 PUMA Orbita 5 FUSION

3, 4, 5

25% PU, 20% EVA, 7% Polyester, 48% Gummibläse
Sehr guter und robuster Trainingsball für den regelmäßigen Trainingseinsatz. FUSION-Technologie: Maschinell genähte, mehrlagige Außenschicht mit 4 mm EVA-Schaumrücken und dünner PU-Oberfolie, langlebig, gute runde Form, verbesserte Sprungkraft und weicher Griff, 32 Paneele

01 PUMA White-Multicolour • 04 PUMA White-PUMA Red • 05 PUMA White-Ignite Blue

2025 - 2026

084329 PUMA Orbita 5 TB Hardground

5

25% PU, 20% EVA, 7% Polyester, 48% Gummibläse
Sehr guter und robuster Trainingsball für den regelmäßigen Trainingseinsatz. vor allem auf hartem Untergrund. THB geformte Kugel: Thermo wärmeverbunden für optimale Formbeständigkeit, Haltbarkeit und reduzierte Wasseraufnahme, 32 Paneele

01 PUMA White-Multicolour

2025 - 2026



01



03



01



02



01



02



01



02



01



02



01



01

04

05



01

084332 PUMA Orbita 5 FUSION Lite 350
4, 5

25% PU, 20% EVA, 7% Polyester, 48% Gummibläse
Sehr guter und robuster Trainingsball für den regelmäßigen Trainingseinsatz. Reduziertes Gewicht für jugendliche Anforderungen, FUSION-Technologie: Maschinell genähte, mehrlagige Außenschicht mit 4 mm EVA-Schaum Rückseite und dünner PU-Deckfolie, langlebige, gute runde Form, verbesserte Sprungkraft und weicher Griff, 32 Paneele

01 PUMA White-Multicolour

2025 - 2026

084333 PUMA Orbita 5 FUSION Lite 290
3, 4, 5

25% PU, 20% EVA, 7% Polyester, 48% Gummibläse
Sehr guter und robuster Trainingsball für den regelmäßigen Trainingseinsatz. Reduziertes Gewicht für jugendliche Anforderungen, FUSION-Technologie: Maschinell genähte, mehrlagige Außenschicht mit 4 mm EVA-Schaum Rückseite und dünner PU-Deckfolie, langlebige, gute runde Form, verbesserte Sprungkraft und weicher Griff, 32 Paneele

01 PUMA White-Multicolour

2025 - 2026

084335 PUMA Orbita 6 MS
3, 4, 5

10% TPU, 16% EVA, 6% Polyester, 68% Gummibläse
Guter Trainingsball für den regelmäßigen Trainingsgebrauch. Maschinengenäht, gute runde Form, 32 Paneele

01 PUMA White-Multicolour • 02 PUMA White-PUMA Black 04 PUMA White-PUMA Red • 05 PUMA White-Ignite Blue

2025 - 2026

084336 PUMA Orbita 7 MS Mini
Mini

10% TPU, 16% EVA, 10% Polyester, 64% Gummibläse
Maschinengenähter TPU-Miniball für Freizeitgebrauch und Spaß, maschinengenäht, gute runde Form, 12 Paneele

01 PUMA White-Multicolour

2025 - 2026

085043 PUMA Club Ball
5

25% PU, 20% EVA, 7% Polyester, 48% Gummibläse
Sehr guter und robuster Trainingsball für den regelmäßigen Trainingseinsatz. Reduziertes Gewicht für jugendliche Anforderungen, FUSION-Technologie: Maschinell genähte, mehrlagige Außenschicht und dünne PU-Deckfolie, langlebige, gute runde Form, verbesserte Sprungkraft und weicher Griff, 26 Paneele mit gleicher Oberfläche verbessern die Formbeständigkeit, Gummibläse mit PUMA Air Lock-Ventil

01 PUMA White-PUMA Black

Juli 2025 - 2027

084342 Futsal 1 TB (FIFA Quality Pro)
4

30% Synthetisches Leder, 30% EVA Foam, 30% Synthetischer Gummi, 10% Polyester
Spielball der Spitzenklasse mit hohen Leistungsmerkmalen

01 PUMA White-Garnet Rose-Dusty Aqua

2025 - 2026

084343 Futsal 2 HS
3-4

30% PU, 45% Textil, 25% Latex
Robuster Trainingsball für den Einsatz bei regelmäßigem Training

01 PUMA White-Garnet Rose-Dusty Aqua

2025 - 2026

084344 Futsal 3 MS
3-4

6% TPU, 14% Foam, 11% Polyester, 65% Gummibläse, 4% Andere

Robuster Trainingsball für den Einsatz bei regelmäßigem Training

01 PUMA White-Garnet Rose-Dusty Aqua

2025 - 2026

HANDBALL

**Authorised Exporter of Product



Color :

ULTIMA HANDBALL MEN (PU-HAND STITCHED)

- 1.4mm PU Microfiber
- 3 Layer Polyester Cloth
- Latex Bladder
- 2mm EVA
- **32 PANEL**

■ HB-3655 Men



Color :

ULTIMA HANDBALL WOMEN (PU-HAND STITCHED)

- 1.4mm PU Microfiber
- 3 Layer Polyester Cloth
- Latex Bladder
- 2mm EVA
- **32 PANEL**

■ HB-3656 Women



Color :

GRIP HANDBALL MEN (PU-HAND STITCHED)

- 1.4mm PU Microfiber
- 3 Layer Polyester Cloth
- Latex Bladder
- 2mm EVA
- **32 PANEL**

■ HB-3657 Men



Color :

GRIP HANDBALL WOMEN (PU-HAND STITCHED)

- Embossed
- 1.4mm PU Microfiber
- 3 Layer Polyester Cloth
- 2mm EVA
- Latex Bladder
- **32 PANEL**

■ HB-3658 Women



Color :

HANDBALL MEN (RUBBERIZED HAND STITCHED)

- Rubber Grained
- 3 Layer Polyester Cloth
- Latex Bladder
- **32 PANEL**

■ HB-371 Men



Color :

HANDBALL WOMEN (RUBBERIZED HAND STITCHED)

- Rubber Grained
- 3 Layer Polyester Cloth
- Latex Bladder
- **32 PANEL**

■ HB-372 Women



HANDBALL MEN (RUBBERIZED MOLDED)

- Rubber Grained
- Extra Grip Surface
- Butyl Bladder(Nylon+ Polyester wounded)
- **32 PANEL**

■ HB-004 Men

Color :



HANDBALL WOMEN (RUBBERIZED MOLDED)

- Rubber Grained
- Extra Grip Surface
- Butyl Bladder(Nylon+ Polyester wounded)
- **32 PANEL**

■ HB-003 Women

Color :

VOLLEYBALL

**Authorised Exporter of Product



Color :

SPOTVOLLEY (LAMINATED)

- 0.9mm Leather
- Indoor- All Surface
- Outdoor- Hard Ground with Grass & Rough Surface
- Match Ball
- **18 PANEL**

■ VB-003 4



Color :

SPOTVOLLEY (LAMINATED)

- Microfiber Composite Leather
- Indoor- All Surfaces
- Outdoor- Soft and Dry Surfaces
- International Match Ball
- **12PANEL**

■ VB-006 4



Color :

G-2020 (LAMINATED)

- 1.2mm PU
- Indoor- All Surfaces
- Outdoor- Soft & Dry Surfaces
- Match Ball
- **18 PANEL**

■ VB-002 4



Color :

VAYU (LAMINATED)

- Microfiber Composite Leather
- Indoor- All Surfaces
- Outdoor- Soft and Dry Surfaces
- International Match Ball
- **12 PANEL**

■ VB-001 4



Color :

VAYU (LAMINATED)

- Microfiber Composite Leather
- Indoor- All Surfaces
- Outdoor- Soft and Dry Surfaces
- International Match Ball
- **12 PANEL**

■ VB-002 4



Color :

VAYU (LAMINATED)

- Microfiber Composite Leather
- Indoor- All Surfaces
- Outdoor- Soft and Dry Surfaces
- International Match Ball
- **12 PANEL**

■ VB-100 4



SPIKESTER (LAMINATED)

- 0.9mm Leather
- Indoor- All Surface
- Outdoor- Hard Ground with Grass & Rough Surface
- Match Ball
- **18 PANEL**

■ VB-004 4

Color :



CRATERS 2.0 (MOLDED)

- Indoor- All Surfaces
- Outdoor- Soft & Dry Surfaces
- Training Ball
- **8 PANEL**

■ VB-006 6

Color :

SPOTVOLLEY


**Authorised Exporter of Product



RESPONSIBILITY VOLLEYBALL STITCHED

- 0.9mm Leather
- Indoor- All Surface
- Outdoor- Hard Ground with Grass & Rough Surface
- Match Ball
- **18 PANEL**

■ VBHS-002 4

Color :     



RESPONSIBILITY VOLLEYBALL STITCHED

- Pu Responsibility 1.2mm
- Indoor- All Surface
- Outdoor- Wet & Soft Surfaces
- **18 PANEL**

■ VBHS-001 4

Color :     

NETBALL

**Authorised Exporter of Product



Color :     

NETBALL POWER STITCHED

- 1.4mm PU Microfiber
- 2mm EVA+ 1 Cloth + 2mm EVA
- Thread Wound Butyl Bladder
- **18 PANEL**

■ NBPS-1 5



Color :     

NETBALL POWER STITCHED

- Grained Grippy Rubber
- 2mm EVA+ 1 Cloth + 2mm EVA
- Thread Wound Butyl Bladder
- **18 PANEL**

■ NBPS-2 5



Color :     

NETBALL HAND STITCHED

- Grained Grippy Rubber
- 3 Layer Cloth
- Latex Bladder
- **18 PANEL**




■ NBHS-1 5



NETBALL MOLDED

- Rubber Molded
- Nylon & Polyester wound
- Butyl Bladder
- **18 PANEL**

■ NB-003 5

Color :     

BASKETBALL

**Authorised Exporter of Product



EUROPA (MOLDED)

- Rubberized Molded
- Nylon & Polyester Wound
- Butyl Bladder
- Training Ball
- **8 PANEL**

■ BB-006 7



EUROPA (MOLDED)

- Rubberized Molded
- Nylon & Polyester Wound
- Butyl Bladder
- Training Ball
- **8 PANEL**

■ BB-009 7



Color :

EUROPA (MOLDED)

- Rubberized Molded
- Nylon & Polyester Wound
- Butyl Bladder
- Training Ball
- **8 PANEL**

■ BB-006 7



Color :

EUROPA (MOLDED)

- Rubberized Molded
- Nylon & Polyester Wound
- Butyl Bladder
- Training Ball
- **8 PANEL**

■ BB-006 7



Color :

GRAFFIT (MOLDED)

- Rubberized Molded
- Nylon & Polyester Wound
- Butyl Bladder
- Training Ball
- **8 PANEL**

■ BB-007 7



Color :

ENGRAVER (MOLDED)

- Soft Rubberized Molded
- Nylon & Polyester wound
- Butyl Bladder
- Pro Training Ball
- **14 PANEL**

■ BB-005 6
■ BB-005 7



Color :

3X3 (MOLDED)

- Rubberized Molded
- Nylon & Polyester Wound
- Butyl Bladder
- Training Ball
- **8 PANEL**

■ BB-007 7



Color :

GRAFFIT (MOLDED)

- Rubberized Molded
- Nylon & Polyester Wound
- Butyl Bladder
- Training Ball
- **8 PANEL**

■ BB-007 7

GOAL POST

disport[®]
get your game on

****OEM Available**



FOOTBALL GOAL POST



FOOTBALL GOAL POST ALUMINIUM PORTABLE OFFICIAL SIZE AS EN TESTED

This is a football goal is designed for use with standard run back nets and rear net supports attached to the crossbar to support the roof of the net. The aluminum goal post has fully welded corners to eradicate expansion and contraction problems found on goal posts that rely on internal corner joints to hold them together. This new innovation in goal posts design. Goal nets are secured to the rear of the posts on heavy duty fixings and supported by lightweight 'D' net supports attached to the crossbar that can slide off with nets. If you intend to move your goal after each match then these are by far the lightest, quickest and easiest movable goal posts to use.

Specification

Goal post Material: Special Molded Aluminum Pipe with Inner

Goal post type: Portable Football Goals

- Special Molded Net Fixings HDPE

- Inner Rib For Extra Support

Pair Of Nets -Official Regulation white. High density white polyethylene BRAIDED cord for maximum durability in a hard wearing net meshes. Longer lasting nets and all weather resistance.

- BSEN 748

STANDARD EXPORT PACKAGING WITH 8MM EP FOAM COVERING AND BUBBLE WRAP, OUTER WITH THICK CORRUGATED PAPER.

- DS-FGPAOFS24- FULL SIZE 24ft length x 8ft height x 7ft depth
- DS-FGPAOY12- YOUTH SIZE 12ft length x 8ft height x 7ft depth



FOOTBALL GOAL POST ALUMINIUM FIXED OFFICIAL FULL SIZE EN TESTED

This is a football goal is designed for use with standard run back nets and rear net supports attached to the crossbar to support the roof of the net. The aluminium goal post has fully welded corners to eradicate expansion and contraction problems found on goal posts that rely on internal corner joints to hold them together. Goal nets are secured to the rear of the posts on heavy duty fixings and supported by lightweight 'D' net supports attached to the crossbar that can slide off with nets. Included are lockable uprights posts that prevent unauthorized removal, locking flush ground socket caps which are much better than unsecured drop in lids that quickly become lost. The football posts have a durable powder coat paint finish.

Specification

Goal post Material: Special Molded Aluminum Pipe with Inner

Goal post type: Fixed Football Goals

- Special Molded Net Fixings HDPE

- Inner Rib For Extra Support

- Top & bottom run back 1.8 M

- A single goal, Crossbar, Uprights

- Recessed net fixings, Ground sockets

- Flush Ground Socket Caps, Barrel Locks & Keys (No nuts & bolts needed!)

Pair Of Nets -Official Regulation white. High density white polyethylene BRAIDED cord for maximum durability in a hard wearing net meshes. Longer lasting nets and all weather resistance.

- BSEN 748

STANDARD EXPORT PACKAGING WITH 8MM EP FOAM COVERING AND BUBBLE WRAP, OUTER WITH THICK CORRUGATED PAPER.

- DS-FGPAOFS24- FULL SIZE 24ft length x 8ft height x 7ft depth
- DS-FGPAFOY12- YOUTH SIZE 12ft length x 8ft height x 7ft depth



Color :

GOAL POST PORTABLE STEEL FULL SIZE

Material: Galvanized steel 38mm round sides and bottom back

Size: 24ft length*8ft height*7ft depth

- With 150mm castors for easy movement
- Galvanized Steel 100mm round pipe
- Inner pip for extra strength at corners

- DS-GPPSFS24



Color : Multi-Colored

GOAL POST STEEL FIXED FULL SIZE

Material: Galvanized steel 38mm round sides

Size: 12ft length*8ft height*7ft depth

- With ground sleeves for fixing
- Three back pipes 31mm round for net holding and shape for proper shape of the goal post
- With 150mm castors for easy movement
- Galvanized Steel 100mm round pipe
- Inner pip for extra strength at corners

- DS-GPSFY12



Color :

GOAL POST PORTABLE STEEL YOUTH SIZE

Material: Galvanized steel 38mm round sides and bottom back

Size: 12ft length*8ft height*7ft depth

- With 150mm castors for easy movement
- Galvanized Steel 100mm round pipe
- Inner pip for extra strength at corners

- DS-GPPSY12



Color :

JUNIOR SIZE PORTABLE GOAL POST ALUMINIUM

Material: Aluminum 38mm round steel

Size: 180X120X75cm

- Polyester mesh nettings
- Velcro option is also available
- Fully foldable with locking system
- Quick and Easy to set up and take down. No tools required for assembly

- DS-JSPGPA180



Color :

GOAL POST STEEL FIXED FULL SIZE

Material: Galvanized steel 38mm round sides

Size: 24ft length*8ft height*7ft depth

- With ground sleeves for fixing
- Three back pipes 31mm round for net holding and shape for proper shape of the goal post
- With 150mm castors for easy movement
- Galvanized Steel 100mm round pipe
- Inner pip for extra strength at corners

- DS-GPSFS24



Color :

JUNIOR SIZE PORTABLE GOAL POST ALUMINIUM

Material: Aluminum 38mm round steel

Size: 155X95X75cm

- Polyester mesh nettings
- Velcro option is also available
- Fully foldable with locking system
- Quick and Easy to set up and take down. No tools required for assembly

- DS-JSPGPA155



Color :

JUNIOR SIZE PORTABLE GOAL POST ALUMINIUM

Material: Aluminum 38mm round steel, Polyester mesh nettings
Size: 120X75X60cm
 - Velcro option is also available
 - No tools required for assembly.
 - Fully foldable with locking system
 - Quick and Easy to set up and take down.

■ DS-JSPGPA155



Color :

GOALS ALUMINIUM - 3M

Material: 60mm round aluminium pipe front & upright
Back support: 38mm round pipe
Size: 3m X2m
 - Wheel optional

■ DS-GA3



Color :

GOALS ALUMINIUM - 5M

Material: 60mm round aluminium pipe front & upright
Back support: 38mm round pipe
Size: 5m X2m
 - Wheel optional

■ DS-GA5




Color : Multi-Colored

FUTSAL GOAL, FOR INDOOR & OUTDOOR 5M

Material: Mild Galvanised steel
Corners: with inner support pipe
Back supports: 31mm round steel pipe
 - Front pipe and uprights 100mm x 50mm
 - 100mm x Two wheels
 - Anchors for ground
 - Wheel optional

■ DS-FGFIOP5 5mtr X 2mtr X 1mtr
 ■ DS-FGFIOP3 3mtr X 2mtr X 1mtr




Color :

ALUMINIUM LIGHT WEIGHT GOAL POST

- All Goals Include
 - White machine made net
 - Easy removable plastic clip
 - 80 mm pipe used in front face
 - All round shaped goal post
 - 38 mm pipe used on side frame

■ DS-ALWGPROU90 90X60X60 CMS
 ■ DS-ALWGPROU120 120X80X80 CMS
 ■ DS-ALWGPROU150 150X100X90 CMS
 ■ DS-ALWGPROU180 180X120X90 CMS



Color :

ALUMINIUM LIGHT WEIGHT GOAL POST

- All Goals Include
 - White machine made net
 - Fixed clip with removable net
 - 83 x 38 mm pipe used in front face in rectangle face
 - All round shaped goal post
 - Easy to folding Goal Post
 - 38 mm pipe used on side frame

■ DS-ALWGPREC90 90X60X60 CMS
 ■ DS-ALWGPREC120 120X80X80 CMS
 ■ DS-ALWGPREC150 150X100X90 CMS



Color :

DUGOUT INTERNATIONAL DX MODEL- SET OF 20 SEATING PLUS 4 SEATING

Technical specs: Our steel framed dugout is the perfect upgrade for your sports field and will accommodate your players comfortably throughout games. The customizable options available with this shelter let you show your team

Frame design: The curved frame Team Shelter is available in different size to meet different requirement. Seating capacity is 2-24 seats for regular design. The structure is composed by standardized frame with modular design for easy installation. High quality reclinable seats.

Back and side panels: Designed to provide both visibility and protection, the outer panels of this team shelter are manufactured from 3.5mm thick shatterproof polycarbonate. This strong yet transparent material will allow your players to see the game through your team shelter without compromising on durability.

Metal: galvanized steel for long durability without rust

Wheels: 12 pcs of 8 inches Pneumatic foam filled casters

Easy assembly with Premark holes and serial numbers

- Set of 20 seating plus 4 seating
- Pu leather foam for super cushion
- Water resistant

Material:

- Framework manufactured from strong heavy duty box section steel
- Steelwork is hot dipped galvanized with stainless steel nuts & bolts for long-life (rust resistant). Metalwork polyester powder coated to your chosen colour 3.5mm ultra clear.
- POLYCARBONATE are shatterproof, can withstand ball impact & easy to clean.
- Seats are all-weather UV protected. Complete with 360° castor wheels, enhancing the mobility of the shelters on hard ground.

- DS-DIDXM
- 4 Seat Match Officials 2.5m (8ft 2in) Wide
- 20 Seat Players 20 Seat Players: 12m (39ft 4in) Wide



Color :

DUGOUT CLUB DX MODEL SET OF 20 SEATING PLUS 4 SEATING

Technical specs: Our steel framed dugout is the perfect upgrade for your sports field and will accommodate your players comfortably throughout games. The customizable options available with this shelter let you show your team.

Frame design: - 6m long professional 2-tier football dugout made from excellent quality 50mm steel with moulded plastic seats in a variety of colours. The structure is composed by standardized frame with modular design for easy installation. High quality fixed UV coated seats.

Back and side panels: Designed to provide both visibility and protection, the outer panels of this team shelter are manufactured from 2.8mm thick shatterproof polycarbonate. This strong yet transparent material will allow your players to see the game through your team shelter without compromising on durability.

Metal: galvanized steel for long durability without rust

Wheels: 12 pcs of 8 inches Pneumatic foam filled casters

Easy assembly with Premark holes and serial numbers

- Set of 20 seating plus 4 seating
- Pu leather foam for super cushion
- UV/Water resistant

Material:

- Framework manufactured from strong heavy duty box section steel
- Steelwork is hot dipped galvanized with stainless steel nuts & bolts for long-life (rust resistant). Metalwork polyester powder coated to your chosen colour 3.5mm ultra clear.
- Metalwork polyester powder coated to your chosen color.
- 3.5mm ultra clear POLYCARBONATE are shatterproof, can withstand ball impact & easy to clean
- Seats are all-weather UV protected. Complete with 360° castor wheels, enhancing the mobility of the shelters on hard ground.

- DS-FGPAFOFS24- FULL SIZE 24ft length x 8ft height x 7ft depth
- DS-FGPAFOY12- YOUTH SIZE 12ft length x 8ft height x 7ft depth

HOCKEY GOAL POST



HOCKEY GOAL POST MOVABLE

Material: Constructed of 70 X 50mm rectangular steel pipe, back support steel
Pipe: Pipe 33MMround, EVA Foam Laminated Plank 1.5" thick.
6 Wheel Size: 2 Inch X 6 Inch Made Of Nylon/castors,
Paint: Imported PU spray paint/ Powder coating

■ DS-HGPM 3.66m x 2.13m x 1.22m

HANDBALL GOAL POST



Color :

HANDBALL GOAL ALLUMINIUM OFFICIAL

Front pipe: 80mmx80mm aluminum with rib
Uprights: 80mm x 80mm aluminum with rib,
 - Inner pipe support at corners
Back support: 38mm round galvanized steel
Nets holder: HDPE t-shaped
Wheels: 100 mm nylon (optional), Anchors for extra stability
Paint: Imported PU spray paint/Powder coating

■ DS-HGAO 3m x 2m

Color :

HANDBALL GOAL STEEL COMPETITION

Front pipe: 80mmx80mm galvanised iron
Uprights: 80mm x 80mm galvanised iron
 - Inner pipe support at corners
Back support: 31mm round galvanized steel
Base back support: 38mm square galvanised steel,
 Anchors for extra stability
Nets holder: S-shaped fixed with screw
Wheels: 100 mm nylon (optional),
Paint: Imported PU spray paint/ Powder coating

■ DS-HGSC 3m x 2m

Color :

SOCKETED SCHOOL HANDBALL GOALS

Material: galvanised steel
Color: white
Dimensions: 3.0m x 2.0m or 2.4m
Weight: 42kg x 1.7m front
Size: Height: 1.7m, Length: 2.4m, Width: 1.1m
Paint: Imported PU spray paint/ Powder coating
 - Cross-section type rectangular
 - Cross-section dimension 80x40mm
 - Frame in 80x40mm galvanised steel
 - Backbars made of 30x30mm.
 - Delivered with ground sockets or anchoring systems of body text

■ DS-SSHG



MINI HANDBALL GOALS ALLUMINIUM

Material: 80×40 mm Aluminum (front), Steel S235(back)
Frame size: 2.4×1.6 m
Depth (total): 80/100 cm
Weight: 36 kg
With Net: 2.4X1.6M

■ DS-MHGA2.4

Color :

ELEMENTAL PICKLEBALL NET INTERNATIONAL MODEL

- This is a portable net that plays like it was cemented in the ground.
- The thick steel frame makes it a favorite at rec centers and sports clubs for its ability to easily convert tennis courts to pickleball courts.
- 6 caster wheels allow it to roll from indoor gyms to outdoor courts.
- Standard length of 22ft to reach the recommended 12in beyond the pickleball court lines on each side.
- Heavy gauge steel cable tensioning system uses a hand crank to reach the regulation 36in height at the sides while the center strap ensures the middle reaches the 34in mark.
- Top vinyl strip maintains durability, but also provides the playability pickleball players expect at tournaments and top tier clubs.
- Powder-coated frame can withstand mother nature and endless hours of open play

■ DS-PPBNC

Color :

ELEMENTAL PICKLEBALL NET DELUXE MODEL

- court wherever you go with the Elemental Pickleball Net.
- This easy to transport system is the regulation height of 36in and USAPA recommended length of 22ft.
- The 22 foot length provides an additional 12 inches on both sides for extra net coverage.
- Made with durability in mind, the net features nylon fabric and knotless PPVC netting.
- The wide, bent interlock steel legs provide increased stability. Set up and break down in just minutes. The reinforced carrying bag makes this setup incredibly easy to transport.

■ DS-EPBN

Color :



BADMINTON POLES



Color :

FIX BADMINTON POLE TRAINING

- Made of 2 inches round steel pipe
- Hooks for tighten net
- Sleeve for grounding "x" shape
- Steel galvanized pully
- Imported pu spray paint

■ DS-FBPT



Color :

MOVABLE BADMINTON POLE TRAINING

- Made of 40mm x 40mm round steel pipe
- Hooks for tighten net
- 50 kg solid weight each side
- Steel galvanized pully
- Imported PU spray paint
- 75mm rubber castors

■ DS-MBPT



Color :

MOVABLE BADMINTON POLE OFFICIAL

- Made up to ms steel 50mm round pipe
- Solid moulded cast iron base with round edges
- 80 kg of cast iron moulded base each side
- Nylon wheels for smooth portability

■ DS-MBPO

VOLLEY BALL POLES



Color :

FIXED VOLLEYBALL BASIC - HEIGHT ADJUSTABLE

- Made of up of 75mm x 88mm round steel pipe
- Steel pully
- Hooks for tightened the net
- Imported PU paint coatings.
- With ground fixing sleeves
- Manual Telescopic Height adjustable

■ DS-FVBBHD



Color :

MOVABLE VOLLEYBALL POST

- Made of up of 75mm x 88mm round steel pipe
- Steel pully
- Hooks for tightened the net
- Imported PU paint coatings.
- With ground fixing sleeves
- Manual Telescopic Height adjustable
- 80 KG weight plates each side
- 100 mm castor for smooth portability

■ DS-MVBP



Color :

PORTABLE VOLLEYBALL POST WITH PADDING

- Made of up of 75mm x 88mm round steel pipe
- Steel pully
- Hooks for tightened the net
- Imported PU paint coatings.
- With ground fixing sleeves
- 100kg weight plates each side
- Telescopic Height adjustable
- Padding for Volleyball post, 20mm EP Foam with non tearing Ccovering easily fixing through velcro strap Manual

■ DS-PVPWP



Color :

BADMINTON REFRRE CHAIR LITE

- Made up of 25mm steel tube in heavy guage
- Durable PVS seatings
- Two side wheels for easy transportation

■ DS-BRCL



Color :

BADMINTON REFRRE CHAIR COMPETITION

- Made up of 25mm steel tube in heavy guage
- Base steel pipe frame 62mm x 62mm
- Pu fabric leather seat
- Side wheels for easy transportation

■ DS-BRCC




MULTI GAME POST WITH PADDING

- Galvanized Steel
- Multi Post With Padding
- Weight Base
- 5 game in one pole post
- Used for Paddle, Tennis, Badminton , Volleyball, Net Ball

■ DS-MGPWP

Color : Multi-Colored

VOLLEY BALL ACCESSORIES



NET HANGER

- Universal net hanger for volleyball, tennis and badminton,
- Designed for its fast unrolling, rolling and storage.

▪ DS-NH



DOUBLE VOLLEYBALL STORAGE NET TROLLEY

- 22mm round steel powder coated with 38mm square base pipe
- 50 mm four wheel powder coated
- Can store any size net
- Comprised of two Wind-Its & one free standing moveable trolley easily accommodates 2 volleyball nets.

▪ DS-DVSNT



TRIPLE VOLLEYBALL STORAGE NET TROLLEY

- 22mm round steel powder coated with 38mm square base pipe.
- 50 mm four wheel powder coated
- Can store any size net.
- Comprised of two Wind-Its & one free standing moveable trolley easily accommodates 3 volleyball nets.

▪ DS-TVSNT

BASKET BALL RINGS & BOARDS



Color :

BASKETBALL RING ONE SPRING

- Hollow steel pipe 20mm thick
- One spring tempered ss
- 3mm Solid steel connecting plate
- With or with holes for fixing
- 45 cm diameter
- Powder coated

▪ DS-BBROS



Color :

BASKETBALL RING DOUBLE SPRING ; EU FLEX

- Hollow steel pipe 20mm thick
- One spring tempered ss
- 3mm solid steel connecting plate
- With or with holes for fixing
- As per official specifications of safety and dunking
- 45 cm diameter
- Powder coated

▪ DS-BBRDSEUFLEX



Color :

4-RING BASKETBALL STAND JUNIOR

- Training Basketball ring for kids
- Indoor/outdoor use
- Assembly required
- Age group: 3+ years
- Size: 48"x36"x54" inches

▪ DS-4RBBSJ



Color :

BASKETBALL RING HOLLOW LIGHT

- Hollow steel pipe 15mm thick
- 45 cm diameter
- Solid steel connecting plate
- With or with holes for fixing
- Powder coated
- As per official specifications of safety and dunking

▪ DS-BBRHL



Color :

BASKETBALL RING HOLLOW

- Hollow steel pipe 18mm thick
- 45 cm diameter
- Solid steel connecting plate
- With or with holes for fixing
- Powder coated
- As per official specifications of safety and dunking

▪ DS-BBRH




Color :

BASKETBALL RING SOLID

- Hollow steel pipe 18mm thick
- 45 cm diameter
- Solid steel connecting plate
- With or with holes for fixing
- Powder coated
- As per official specifications of safety and dunking

▪ DS-BBRS



Color: Multi-Colored

BASKETBALL PLYWOOD INDOOR- 120X90

- Size: 120 x 90 cm
- 3 Layer of Special coating to make it 100% all weather proof Plywood (Regular Plywood)
- Temperatures: +50 to -20 degrees Celsius
- Packaged securely in a 5-ply corrugated box

- DS-BBMP1209012ID Thickness 12mm
- DS-BBMP1209015ID Thickness 15mm
- DS-BBMP1209018ID Thickness 18mm




Color: Multi-Colored

BASKETBALL PLYWOOD OUTDOOR- 120X90

- Size: 120 x 90 cm
- Anti-glare PU spray paint finish.
- 5 Layer of Special coating to make it 100% all weather proof Plywood (Special Compreg Marine Plywood)
- Temperatures: +50 to -20 degrees Celsius
- Packaged securely in a 5-ply corrugated box, this product is a testament to our commitment to excellence.

- DS-BBMP1209012OD Thickness 12mm
- DS-BBMP1209015OD Thickness 15mm
- DS-BBMP1209018OD Thickness 18mm



Color: Multi-Colored

BASKETBALL PLYWOOD INDOOR- 180X105

- Size: 180 x 105 cm
- 3 Layer of Special coating to make it 100% all weather proof Plywood (Regular Plywood)
- Temperatures: +50 to -20 degrees Celsius
- Packaged securely in a 5-ply corrugated box, this product is a testament to our commitment to excellence.

- DS-BBMP18010512ID Thickness 12mm
- DS-BBMP18010515ID Thickness 15mm
- DS-BBMP18010518ID Thickness 18mm



BASKETBALL ACRYLIC BACKBOARD WITH DOUBLE SPRING EU FLEX RING DRAWING & CERTIFICATE-18M

- Board:* 18mm transparent acrylic, UV Resistance
Frame pipe: 50mmX25mm Galvanized steel
Size: 120X90X18mm
- Basketball backboard official with transparent board and EU flex Ring
 - 2mm cushion between metal frame & acrylic board.
 - As per official rules and EN norms
 - With EU flex 2 spring ring
 - Powered coated

- DS-BBRDSB-EUFLEX18




Color: Multi-Colored

BASKETBALL PLYWOOD OUTDOOR- 180X105

- Size: 180 x 105 cm
- Anti-glare PU spray paint finish.
- 5 Layer of Special coating to make it 100% all weather proof Plywood (Special Compreg Marine Plywood)
- Temperatures: +50 to -20 degrees Celsius
- Packaged securely in a 5-ply corrugated box, this product is a testament to our commitment to excellence.

- DS-BBMP18010512OD Thickness 12mm
- DS-BBMP18010515OD Thickness 15mm
- DS-BBMP18010518OD Thickness 18mm




Color: Multi-Colored

BASKETBALL PLYWOOD INDOOR 90X60

- Size: 90 x 60 cm
- 3 Layer of Special coating to make it 100% all weather proof Plywood (Regular Plywood)
- Temperatures: +50 to -20 degrees Celsius
- Packaged securely in a 5-ply corrugated box, this product is a testament to our commitment to excellence.

- DS-BBMP906012ID Thickness 12mm
- DS-BBMP906015ID Thickness 15mm
- DS-BBMP906018ID Thickness 18mm



Color: Multi-Colored

BASKETBALL PLYWOOD INDOOR- 180X105

- Size: 90 x 60 cm
- 5 Layer of Special coating to make it 100% all weather proof Plywood (Special Compreg Marine Plywood)
- Temperatures: +50 to -20 degrees Celsius
- Packaged securely in a 5-ply corrugated box, this product is a testament to our commitment to excellence.

- DS-BBMP906012OD Thickness 12mm
- DS-BBMP906015OD Thickness 15mm
- DS-BBMP906018OD Thickness 18mm



BASKETBALL ACRYLIC BACKBOARD WITH DOUBLE SPRING EU FLEX RING DRAWING & CERTIFICATE-15M

- Board:* 15mm transparent acrylic, UV Resistance
Frame pipe: 50mmX25mm Galvanized steel
Size: 120X90X15mm
- Basketball backboard official with transparent board and EU flex Ring
 - 2mm cushion between metal frame & acrylic board.
 - As per official rules and EN norms
 - With EU flex 2 spring ring
 - Powered coated

- DS-BBRDSB-EUFLEX15

SPORTS NET



Color :

FOOTBALL NETS HDPE TWISTED TWIN 2.5

Material: HDPE Twisted Twin
Material Thickness: 2.5mm
 - Virgin Quality , UV coated & 100% water proof durability
 - Steamed pressed knots for long durability of knots
 - 5mm, 6mm Rope Interlocks Edge

| | |
|------------------|----------------------|
| ■ DS-FNTT2.57.60 | 7.60 X 2.60 X 2.10 m |
| ■ DS-FNTT2.55.20 | 5.20 X 2.20 X 1.10 m |
| ■ DS-FNTT2.54.80 | 4.80 X 2.20 X 1.10 m |
| ■ DS-FNTT2.53.20 | 3.20 X 2.20 X 1.10 m |
| ■ DS-FNTT2.51.60 | 1.60 X 1.05 X 0.80 m |



Color :

FOOTBALL NETS HDPE TWISTED TWIN 3MM

Material: HDPE Twisted Twin
Material Thickness: 3mm
 - Virgin Quality , UV coated & 100% water proof durability
 - Steamed pressed knots for long durability of knots
 - 5mm, 6mm Rope Interlocks Edge

| | |
|----------------|----------------------|
| ■ DS-FNTT37.60 | 7.60 X 2.60 X 2.10 m |
| ■ DS-FNTT35.20 | 5.20 X 2.20 X 1.10 m |
| ■ DS-FNTT34.80 | 4.80 X 2.20 X 1.10 m |
| ■ DS-FNTT33.20 | 3.20 X 2.20 X 1.10 m |
| ■ DS-FNTT31.60 | 1.60 X 1.05 X 0.80 m |



Color :

FOOTBALL NET SILK 4MM

Material: Braidee PP Silky
Material Thickness: 4mm
Goal Net: 120MM Mesh
 - Virgin Quality , UV coated & 100% water proof durability

| | |
|---------------|----------------------|
| ■ DS-FNS47.60 | 7.60 X 2.60 X 2.10 m |
| ■ DS-FNS45.20 | 5.20 X 2.20 X 1.10 m |
| ■ DS-FNS44.80 | 4.80 X 2.20 X 1.10 m |
| ■ DS-FNS43.20 | 3.20 X 2.20 X 1.10 m |
| ■ DS-FNS41.60 | 1.60 X 1.05 X 0.80 m |



Color :

HANDBALL NET-2MM

Material: HDPE Twisted Twin
Material Thickness: 2mm
 - Virgin Quality , UV coated & 100% water proof durability
 - Steamed pressed knots for long durability of knots
 - 5mm, 6mm Rope Interlocks Edge

- DS-HDBN2




Color :

VOLLEYBALL NET OFFICIAL

Material: HDPE Twisted Twin netting
Dimension: 9.5m x 1m
Net: 3mm
Top: 75 mm Non Tearing Tape, 3 sided 50 mm Non Tearing Tape
Tension Rope: Vinyl coated steel cable 3mm, 5mm

- DS-VNTO



Color :

VOLLEYBALL NET TRAINING PRO

Material: HDPE Twisted netting
Dimension: 9.5m x 1m
Net: 2.5mm
Top: 50 mm Non Tearing Tape on all four side.
Tension Rope: Vinyl coated steel cable 3mm, 5mm

- DS-VNTP



Color : Multi-Colored

FOOTBALL TARGET NET

Perfect practice net for football players of all abilities for drills clearing the linemen, snapping, throwing, short pass, long pass drills and more.
 12 feet x 6 feet Training net with 5 targets circle
 Develops player skills in hitting their location with passes to improve in-game completion percentages
Foldable Setup: Reinforced frame with high density polyester tape and portable carry case
Note: Goal posts not included

- DS-FTN



Color :

HANDBALL NET- 3MM

Material: HDPE Twisted Twin
Material Thickness: 3mm
 - Virgin Quality , UV coated & 100% water proof durability
 - Steamed pressed knots for long durability of knots
 - 5mm, 6mm Rope Interlocks Edge

- DS-HDBN3




Color :

HANDBALL NET-2.5MM

Material: HDPE Twisted Twin
Material Thickness: 2.5mm
 - Virgin Quality , UV coated & 100% water proof durability
 - Steamed pressed knots for long durability of knots
 - 5mm, 6mm Rope Interlocks Edge

- DS-HDBN2.5




VOLLEYBALL NET BASIC TRAINING

Material: HDPE Twisted Twin netting
Dimension: 9.5m x 1m
Net: 2mm
Top: 25 mm Non Tearing Tape, 3 sided 15 mm Non Tearing Tape
Tension Rope: Vinyl coated steel cable 3mm, 5mm

- DS-VNBT

Color : Multi-Colored



BADMINTON NET

- 4 side taping for durability
- Nylon Mesh
- 38 mm pipe used on side frame
- All round shaped goal post
- Vinyl-coated bands line the top, bottom & sides of the net for extra reinforcement

■ DS-BN 24" x 240" x 2"

Color :



TENNIS NETS DELUXE

- 12.8mtrs X 1.1mtrs
- Total Weight: 6kgs
- 3.5mm braided 50mmsq top 5 mesh double (0.3mtrs) & rest 0.8mtrs single with 8mm rope top & bottom for stability and tying.

■ DS-PPBNC

Color :



TENNIS NETS REGULAR

- 12.8mtrs x 1.1mtrs
- 3.5mm braided 50mmsq with 8mm rope top and bottom for stability and tying
- Total Weight: 6kgs

■ DS-EPBN

Color :

BALL CART



Color :

BALL CART ALLUMINIUM

- Made up of 25mm round aluminum pipe structure.
- Aluminum ball cart foldable with 50mm round wheels.
- Non tearing PVC coated fabric
- Made up of 25mm round aluminum pipe
- Uses for multipurpose

■ DS-BCA 55 X 55 X 85 cm



Color : Multi-Colored

BALL CART WIDE BASE (16 BALLS)

- Heavy duty white powder coated, steel tubing structure
- 25mm tubular steel sides
- 19mm centre pipe
- Suitable for all type of inflatable ball
- 50mm wheels
- 16 Ball

■ DS-BC16 40 x 101 x 132 cm



Color :

VOLLEYBALL BALL CART

- Made up of 19mm aluminum pipe structure.
- Fabric non tearing PVC coated
- Hammock style construction
- 50 mm wheel with multi directional access
- Uses for multipurpose

■ DS-VBC 138 x 56 x 110 cm



Color :

BALL CART WIDE BASE (24 BALLS)

- Heavy duty white powder coated, steel tubing structure
- 25mm tubular steel sides
- 75mm wheel for easy transportation
- 4 multi directional wheels
- Lockable

■ DS-BCR24 105 x 80 x 80 cm



Color :

MULTIPURPOSE BALL CART

- Made up of 25mm round aluminum pipe structure.
- Fabric non tearing PVC coated
- 50 mm X 4 wheel multidirectional purpose

■ DS-MPBC 105 X 50 X 50 cm



Color :

BALL CAGE SQUARE

- Made up of 19 mm steel pipe structure
- Wheels 75mm multidirectional wheels
- Locking System

■ DS-BCS 102 X 76 X 72 cm




Color : Multi-Colored

BASEBALL BALL/ TENNIS CART

- 13" tyre wheels for easy rolling
- Made 25 mm round steel pipe structure covered with 3mm HDPE mesh net
- Can Holds up to 200+ baseballs/ tennis ball

■ DS-BBTC 52 X42X110 cm



Color : Multi-Colored

TENNIS BALL CART BASIC

- Made up of 15 mm round steel structure pipe
- Multipurpose Can hold 70+ ball

■ DS-TBCS 75X40X40 m



Color : Multi-Colored

VERTICLE BALL CARTS

- Made up of 25 mm square pipe structure
- 50mm wheels for multidirectional
- Top loading and lockable

■ DS-VBC 150X55X55 cm



Color : Multi-Colored

BASKETBALL BALL CART HORIZONTAL

- Made up of 25 mm square pipe structure 20guage Ms Steel side plates
- Solid triangular frames for strength and stability
- 50mm wheels for multi directional
- 100mm x Two wheels
- Holds 15 official size basketballs
- Size: 10 lbs

■ DS-BBCH 125X47X95 cm



RELAXDAYS BALL CART

- Made up of 19mm square steel pipe structure
- 75 mm wheel
- Three side mesh metal wire
- One side 4 strip of Non tearing PVC coated fabric 4 wheels

■ DS-RDBC 50X50X100 cm

Color :



TT BALL TROLLEY

- Portable table tennis ball trolley
- Steel mesh wire & Ms Pipe powder coated

■ DS-TTBT 30" X 16" X 16"

Color :



TABLE TENNIS TRAINER CADDY - ADJUSTABLE HEIGHT BASKET

- Made up of 19 mm round steel pipe structure
- 2" elastic one side
- Bucket made up of metal wire mesh
- Can holds up to 350 ping pong balls
- 50mm wheels for multi directional


■ DS-TTTHB 50X50X100 cm

Color :

GYMNASTICS EQUIPMENT

disport[®]
get your game on

****OEM Available**





PARALLEL BAR (AS PER GYMNASTIC FEDERATION SPECIFICATION)

The apparatus consists of two parallel bars that are held parallel to, and elevated above, the floor by a metal supporting framework. The bars are composed of glass fiber. The vertical members of the supporting framework are adjustable so the height of the bars above the floor and distance between the bars can be set optimally for each gymnastic.

- Larger structural steel base adds 15kgs approx. of weight helping increase the stability for bigger athletes and greater skills
- With an 20cm wider base, the apparatus has more stability for side bar work and dismounts
- New E-Locks give a stronger hold to the upright
- Modular base design can be broken down in sections for ease of transport and set-up
- Height adjusts from 165-225cm in 5cm increments
- Width adjusts from 15'-26'

Base Pipe: 5" x 2" in heavy gauge, powder coated

Upright Pipe: 75mm round heavy gauge

Solid Rod: 32mm round with nickel plating

Bars: 40mm fibre glass, natural coatings

▪ DS-PB



HORIZONTAL BAR (AS PER GYMNASTIC FEDERATION SPECIFICATION)

Upright with more elasticity. Height adjustment from 265 - 310 cm antifracture safety bar made of high quality special stainless steel, for highest standard and safety. The double tensioning with the key adjustment gives excellent support and flexibility to the apparatus.

Height: adjusts from 265-310cm in 5cm increments

Tension System: Dual cable tension Reuther system with 2 slide locks, 4 tension swivels and 4 chains and 12 D-shackles.

Upright: Heavy-duty powder-coated heavy gauge steel; nickel-plated inner tube

Feet: Round pivoting floor plates with floor protectors

Bar Holders: Cast steel alloy

Anchoring: 4 floor anchors heavy gauge thickness steel plate

Space Occupation: 400x550 cm

Bars: Extremely high-tensile stainless steel, 28mm SS safety cable

▪ DS-HB



UNEVEN BAR (AS PER GYMNASTIC FEDERATION SPECIFICATION)

- Linen rails and a built-in height adjustment system.
- By pushing the locking pins the height can be adjusted

Official Standard: low rail 175 cm, high rail 255 cm.

Width: 110 - 195 cm (measured diagonally)

High Bar: 230 - 280 cm in 5 cm increments

Low Bar: 150 - 200 cm in 5 cm increments

Weight: 115 kg

Tension System: High-quality steel cables, dual tension Reuther System with pulleys, 2 slide locks, 4 tension swivels and 4 chains. Tensioning extension system on two steel cables ensure an easy height adjustment without losing the tensioning of the apparatus.


Uprights: Heavy-duty powder-coated steel precision tube Inner tubes.

Nickel-plated steel precision tube Console: Heavy-duty powder-coated steel with floor protectors and integrated transport rolls bar holders: Cast aluminum alloy

Anchoring: 4 floor anchors. According to latest official Apparatus Norms all attachments shall withstand a static force of 8000 N (+20N) in the pulling direction. Max. space occupation: Incl. tensioning: 550x400 cm (without mats)

Bars: Fiberglass reinforced Resin with double layer of hard-wearing natural linen

▪ DS-UB



ROMAN RING APPARATUS

- Built-in special spring system to reduce the jolt on the joints and also the peak forces. Safety frame made of square steel tubing with individual components with a maximum length of 2m for easy transportation.

- Height adjustment in steps of 5 cm from 595 - 625 cm (overall height). Ring height adjustable in 2,5 and 5cm increments between 275 - 305 cm (275-280 cm per 5 cm, 280-290cm per 2-5cm, 295 - 305 cm per 5cm).

- The plastic-encased ropes for rings are attached by means of variable threaded sockets with a fine adjustment. Double cable tension system together with the licensed key-adjustment provide the device with great stability As per official norms.

Height of Frame: 5,98 m.

Required height of hall: 6,10 m minimum.

Rings: Multilayer wooden rings, mounted on non-twisting pre-stressed, plastic covered, stainless steel cables with reinforced leather covered straps suspended on high-quality ball bearings and a shock absorption system.

Height of rings: Adjustable from 275 to 310 cm with 5 cm increments and fine-adjustment to level the position of the rings.

Frame: Heavy-duty powder-coated wide gage steel tubes; galvanized inner tubes. Wide round feet with floor protection.

Tension System: Dual cable tension system with 4 slide locks, 4 tension swivels, 4 chains and 16 Dshackles.

Space Occupation: 400x550 cm (excluding landing mats).

Pretension: Adjustable depending on body weight and gymnasts ability

▪ DS-RRR



BALANCING BEAM - HIGH

Elite Balance Beam is equipped with a smooth gliding adjustment plate to ensure height adjustments are fluid for anyone.

Foam pad provides better cushioning to absorb the impact for gymnasts Padded end cap on beams provide additional protection.

Length: 5 Meters

Height: 1.10 Meters to 1.5 Meters (Dual Lock height adjustment of 5 cm increments)

Legs pipe: 75mm Round in heavy gauge, Powder coated (Tubular is also available)

Base Pipe: 75mm round

Floor Protector: rubber/nylon

Beam Structure: Plywood

Fabric: Leather foam 1mm thick

Cushion: 10m EVA foam

▪ DS-BBH



BALANCING BEAM - LOW

- Quality low training beam for athletes of all levels
- Bases are powder coated blue which resists chipping and fading
- Dimensions-360cm x45 h cm (15 cm x 10 cm beam size)
- Without interchangeable reflex springs

▪ DS-BBL



GYMNASTIC SWEDISH BENCH

- Made up of Swedish pine wood with rubberized properly aliened floor protector two hooks at one side to enable it to be attached to a wall-bar.
- When turned upside down it may be used as a 10 cm wide balance beam.
- Top width 28 cm
- Bottom width 33cm
- Height of the bench is 35 cm

| | |
|--------------|---------------|
| ▪ DS-GBWL200 | Length: 200cm |
| ▪ DS-GBWL250 | Length: 250cm |
| ▪ DS-GBWL280 | Length: 280cm |
| ▪ DS-GBWL300 | Length: 300cm |



VAULTING TABLE - ELITE

- Stable base design allows anyone in the gym to change height settings effortlessly.
- Vault head is layered with EVA rebounding foam which helps minimize the impact on athletes hands, wrists and shoulders.
- 37 1/2" to 53" (950-1350mm) in 5cm increments
- Padding (optional)
- Base pipe:** 5" x 2" in heavy gauge with INSIDE weight
- Height adjustment:** Push lock with manual pull.
- Top:** Plywood with EVA padding and with Leather foam 1mm Coverings.
- Floor protector:** Rubber / Nylon

- DS-VTE



VAULTING TABLE - COMPETITION

- Competition Performance Series Vault Table has all the best features you could ask for in a vaulting table!
- Vault base and easy leveling foot pads provide improved stability vault head is layered with EVA rebounding foam which helps minimize the impact on athletes hands, wrists and shoulders
- Highest setting is 140 cm
- Lowest setting is 100 cm
- Adjusts in 5 cm increments
- Table top is covered with a tough, non-slip material
- Column padding included Wider

- DS-VTC



VAULTING BOX 5 SECTION TRAINING

- Dimensions of the large box: 120x70/40x110 cm (LxWxH).
- The 5-part vaulting box has 3 middle sections. These measure 20cm height x width 120cm and by removing or inserting one of these middle sections, the height of the vaulting box can be increased or reduced by 20 cm. The maximum height of the box is 110 cm.
- Vaulting Box 5 Sections made of 19mm Plywood and coated with clear PU POLISH.
- Top:** 19mm plywood top with two layers of EVA foam with leather foam fabric 1mm coverings.

- DS-VB5ST



MINI TRAMPOLINE

- Mini Trampoline with jumping bed with special super suspension springs with safety pad on top of springs special formation for Inclination angles adjustable & foldable
- Made of heavy-duty steel base 50 mm heavy gauge pipe
- Powder coated Push lock knob locking
- Springs:** 32 springs, 5.5" tested Rebound Bed Non Tearing double layers.
- Base size:** 1.2 mtrs x 1.2 mtrs (1200mmx1200mm)

- DS-MT



SPRING BOARD ELITE

- Spring Board made of heavy duty steel frame and springs., Jumping board is covered with suede fabric
- Covered with high quality carpeting, with 10mm inner EVA FOAM padding
- Carry handle is provided with wheels on one end for easy portability.
- Base frame of angle steel 40mm x 6mm thickness heavy gauge stability ensured by use of ant-slip rubbers on all the 4 corners.
- Powder coated metal
- Size:** 120cm x 60cm board in curved design by using multi-ply timber with integral reinforcing Fitted with 5 tapered high quality springs.

- DS-SBE



VAULTING TABLE - TRAINING

- Best in range for schools, clubs for beginners
- Vault head is layered with EVA rebounding foam which helps minimize the impact on athletes hands, wrists and shoulders.
- Adjustable 1.05 Mtr To 1.35 Mtr with multiple interval
- Round Heavy Guage Steel Pipe
- Top Made Of Superior Hard Plywood Wood Which Is Upholstered With Durable Synthetic Leather,
- Galvanized Metal Chain

- DS-VTT



ADJUSTABLE GYMNASTIC MUSHROOM TRAINER

- Base Pipe:** 4" x 2" in heavy gauge powder coated
- Upright Pipe:** 75mm round heavy gauge powder coated.
- Inner Urright Pipe:** 63mm round heavy gauge nickel coated.
- Height Adjustment:** push lock knob with manual pull. In increments of 5cm (50cm to 70 cm) with 5cm increments
- Top:** plywood with EVA padding and with Leather foam fabric 1mm Coverings.
- Floor Protector:** Rubber / Nylon

- DS-MHT



BUCK HORSE – ELITE

- Vaulting buck horse made of high quality materials & upholstered with synthetic leather. With super stability gives a gymnast an ultra edge in performance
- Adjustable height 110 to 150cm (multiple interval Knob system)
- Base pipe:** 75mm round x heavy gauge Powder coated
- Inner base pipe:** 63mm round nickel coated.
- Top:** 19mm plywood with 10mm Eva Backing covering with 1mm leather foam fabric

- DS-BHE



WOODEN WALL BAR- REGULAR

- Height:** 220cm
- Width:** 90cm
- Bar Thickness:** 40mm machine round
- Side wood thickness:** 40mmX-80mm
- Wood:** Marandi/Cedar Wood dry with Grains (white off white shades)

- DS-WWBR



SINGLE SECTION WOODEN WALL BAR

- Single section clear-varnished wooden wall bar with oval rungs.
- With zinc-plated steel joints to fix the wall bars to the wall.
- Height:** 250cm
- Width:** 90cm
- Bar Thickness:** 40mm machine round
- Side wood thickness:** 40mm X 80mm
- Wood:** Marandi/Cedar Wood dry with grains (white off white shades)
- Other sizes also available

- DS-SSWWB



DOUBLE SECTION WALL BAR

- Double section wall bar with oval rungs.
- With zinc-plated steel joints to fix the wall bars to the wall.
- Height:** 250cm
- Width:** 180cm
- Bar Thickness:** 40mm machine round
- Side wood thickness:** 40mm X 80mm
- Wood:** Marandi/Cedar Wood dry with grains (white off white shades)

- DS-DSWB



POMMEL HORSE : JUNIOR

- Built for young gymnasts
- Pommel Horse. To train under the same
- Circumstances as in competition.
- Height appr. 100 cm,
- Handle-Base of bast alloy with wooden grip
- Plywood upper with 10mm EVA padding covering with Leather foam Fabric 1mm

Pipe: 75mm square powder coated

Base Pipe: 75mm round with end caps

- DS-PHJ



POMMEL HORSE : COMPETITION

- Pommels. 2 leg system with drag - chain and leather cover
- With floor protectors and built-in transport system.

Height: Adjustable from 95-125 cm with 5 cm increments.

Pommels: Width 48 cm, improved wooden grip, mounted on an alloy base.

Body: Covered with a high-density EVA foam and fine chrome leather 1mm thickness.

Supports: Heavy-duty powder-coated wide gage steel tubes, sliding tubes galvanized. Incorporated guidance to avoid and play in the tubes.

Tension System: Y-shaped chain with tension swivel and 4 D-shackles Anchoring

Floor Occupation: 180x95 cm (on competition height 115 cm)

Base Pipe: 4" x 2" in heavy gauge powder coated.

Leg Pipe: 80mm square heavy gauge powder coated.

Inner leg pipe: 75mm square heavy gauge nickel coated.

Height adjustment: Push lock with manual pull. In increments of 5cm (110cm to 150 cm) with 5cm increments.

Top: Plywood with EVA padding and with Leather foam 1mm Coverings.

Floor protector: Rubber / Nylon

Wheels: 2" round 4 pcs

- DS-PHC



SPRING BOARD ELITE DX

- Spring Board made of heavy duty steel , jumping board is covered with suede fabric
- Covered with high quality carpeting, with 10mm inner EVA FOAM padding Carry handle is provided with wheels on one end for easy portability.
- Base frame 40mm x 75mm tubular heavy gauge pipe stability ensured by use of antislip rubbers on all the 4 corners.
- Powder coated metal

Size: 120cm x 60cm board in curved design by using multi-ply timber with integral reinforcing Fitted with 5 tapered high quality springs.

- DS-SBEDX

COVER ONLY



Color :

COVER ONLY FOR MAT DELUXE INTERNATIONAL

Material: 580 GSM Tough Non

Tearing PVC Coated Fabric

- Two side zipper
- Anti Skid Rubber at bottom & center

- DS-MCDI25MM 2m X 1m X 25mm
- DS-MCDI40MM 2m X 1m X 40mm
- DS-MCDI50MM 2m X 1m X 50mm



Color : Multi-Colored


COVER ONLY FOR MAT DELUXE CLUB: THREE SIDE ZIPPER

Material: 360 GSM Tough Non

Tearing PVC Coated Fabric

- Three side zipper
- Anti Skid Rubber at bottom & center

- DS-MCDC60MM 2m X 1m X 60mm
- DS-MCDC100MM 2m X 1m X 100mm



Color :

COVER ONLY FOR MAT DELUXE INTERNATIONAL: THREE SIDE ZIPPER

Material: 580 GSM Tough Non

Tearing PVC Coated Fabric

- Three side zipper
- Anti Skid Rubber at bottom & center

- DS-MCDI60MM 2m X 1m X 60mm
- DS-MCDI100MM 2m X 1m X 100mm



Color :

COVER ONLY FOR MAT DELUXE TRAINING

Material: Tetron Fabric

- Two side zipper
- Anti Skid Rubber at bottom & centerr

- DS-MCDT25MM 2m X 1m X 25mm
- DS-MCDT40MM 2m X 1m X 40mm
- DS-MCDT50MM 2m X 1m X 50mm



Color :

COVER ONLY FOR MAT DELUXE CLUB

Material: 360 GSM Tough Non

Tearing PVC Coated Fabric

- Two side zipper
- Anti Skid Rubber at bottom & center

- DS-MCDC25MM 2m X 1m X 25mm
- DS-MCDC40MM 2m X 1m X 40mm
- DS-MCDC50MM 2m X 1m X 50mm



Color :

COVER ONLY FOR MAT DELUXE TRAINING: THREE SIDE ZIPPER

Material: Tetron Fabric

- Three side zipper
- Anti Skid Rubber at bottom & center

- DS-MCDT60MM 2m X 1m X 60mm
- DS-MCDT100MM 2m X 1m X 100mm

MATS



Color :

MAT DELUXE INTERNATIONAL

Material: 580 GSM Tough Non Tearing PVC Coated Fabric
 - Two side zipper
 - Filled with Expanded Polyethylene Foam (EPF)
 - Anti Skid Rubber at bottom & center

- DS-MDI25MM 2m X 1m X 25mm
- DS-MDI40MM 2m X 1m X 40mm
- DS-MDI50MM 2m X 1m X 50mm



Color :

MAT DELUXE CLUB: THREE SIDE ZIPPER

Material: 360 GSM Tough Non Tearing PVC Coated Fabric
 - Three side zipper
 - Filled with Expanded Polyethylene Foam (EPF)
 - Anti Skid Rubber at bottom & center

- DS-MDC60MM 2m X 1m X 60mm
- DS-MDC100MM 2m X 1m X 100mm



Color :

MAT DELUXE INTERNATIONAL: THREE SIDE ZIPPER

Material: 580 GSM Tough Non Tearing PVC Coated Fabric
 - Two side zipper
 - Filled with Expanded Polyethylene Foam (EPF)
 - Anti Skid Rubber at bottom & center

- DS-MDI60MM 2m X 1m X 60mm
- DS-MDI100MM 2m X 1m X 100mm



Color :

MAT DELUXE TRAINING

Material: Tetron Fabric
 - Two side zipper
 - Filled with Expanded Polyethylene Foam (EPF)
 - Anti Skid Rubber at bottom & center

- DS-MDT25MM 2m X 1m X 25mm
- DS-MDT40MM 2m X 1m X 40mm
- DS-MDT50MM 2m X 1m X 50mm



Color :

MAT DELUXE CLUB

Material: 360 GSM Tough Non Tearing PVC Coated Fabric
 - Two side zipper
 - Filled with Expanded Polyethylene Foam (EPF)
 - Anti Skid Rubber at bottom & center

- DS-MDC25MM 2m X 1m X 25mm
- DS-MDC40MM 2m X 1m X 40mm
- DS-MDC50MM 2m X 1m X 50mm




Color :

MAT DELUXE CLUB: THREE SIDE ZIPPER

Material: Tetron Fabric
 - Three side zipper
 - Filled with Expanded Polyethylene Foam (EPF)
 - Anti Skid Rubber at bottom & center

- DS-MDT60MM 2m X 1m X 60mm
- DS-MDT100MM 2m X 1m X 100mm



FOLDABLE MAT360

- 360GSM Tough non teary vinly Anti skid rubber at bottom
 Ideal for personal work or as a basic gymnastic mat
Size: 8' X 4' EP foam

- DS-RRA



FOLDABLE MAT580

- 580GSM: Tough non teary vinly Anti skid rubber at bottom
 Ideal for personal work or as a basic gymnastic mat
Size: 8' X 4' EP foam

- DS-RRA



JUDO MATS

Material: 780gsm textured non tearing with PVC coating
Size: 2meter x 1 meter x 50mm
Thickness: 50mm
Blended Foam: 20mm jsr and 25mm shredded
Foam Density: 180-200
Bottom: Anti slip rubberised bottom
 - 72 pieces

- DS-JM



SPONGE MAT

- Small sealed vents for air passage from sides
 - Small sheild went for air passage from side
Fabric: 580 gsm non tearing pvc coated fabric
Base: Rubberized sheets for anti skid Side zipper
Foam: PU foam with aircell structure with 20-23 density

- DS-BBL

FITNESS TRAINING

disport[®]
get your game on

****OEM Available**



Color : **7.2FT OLYMPIC WEIGHT LIFTING BAR - BLACK OXIDE**

- Size: 7.2Ft
- Black Oxide
- CNC Knurles grip
- As per Olympic specification with bearings 20 kg in weight

■ DS-OWLBB0

Color : **OLYMPIC ROD 7.2FT/ 20KG**

- Size: 7.2Ft
- Chrome plated
- CNC Knurles grip.
- As per Olympic specification with bearings 20 kg in weight

■ DS-OR7.2

Color : **OLYMPIC ZIG ZAG RODS**

- 50 mm solid chrome plated steel with bearings at ends
- Knurles grip in center.

■ DS-ZZR

Color : **HEXA DUMBBELLS**

- Hexa super fine rubber with engraved texture, chrome plated
- C.N.C knurled grip for plam safety,
- In a box packing.
- Sizes available

| | |
|-------------|---------|
| ■ DS-HD1 | 1 kg |
| ■ DS-HD2.5 | 2.5 kg |
| ■ DS-HD5 | 5 kg |
| ■ DS-HD7.5 | 7.5 kg |
| ■ DS-HD10 | 10 kg |
| ■ DS-HD12.5 | 12.5 kg |
| ■ DS-HD15 | 15 kg |
| ■ DS-HD17.5 | 17.5 kg |
| ■ DS-HD20 | 20 kg |
| ■ DS-HD22.5 | 22.5 kg |
| ■ DS-HD25 | 25 kg |
| ■ DS-HD27.5 | 27.5 kg |
| ■ DS-HD30 | 30 kg |

Color : **BOUNCER DUMBBELLS**

- Bouncing super fine rubber with engraved texture, chrome plated
- C.N.C knurled grip for plam safety,
- In a box packing.

| | |
|-------------|---------|
| ■ DS-BD1 | 1 kg |
| ■ DS-BD2.5 | 2.5 kg |
| ■ DS-BD5 | 5 kg |
| ■ DS-BD7.5 | 7.5 kg |
| ■ DS-BD10 | 10 kg |
| ■ DS-BD12.5 | 12.5 kg |
| ■ DS-BD15 | 15 kg |
| ■ DS-BD17.5 | 17.5 kg |
| ■ DS-BD20 | 20 kg |
| ■ DS-BD25 | 25 kg |
| ■ DS-BD27.5 | 27.5 kg |
| ■ DS-BD30 | 30 kg |

Color : **BULGARIAN BAG**

- Made of Special Strong Artificial Leather
- Heavy 100% Quality Satisfaction
- Available Size

| | |
|-----------|-------|
| ■ DS-BB5 | 5 kg |
| ■ DS-BB10 | 10 kg |
| ■ DS-BB15 | 15 kg |
| ■ DS-BB20 | 20 kg |
| ■ DS-BB25 | 25 kg |

Color : **DUMBBELL ROD CHROME**

- Polished 25mm
- Thick 12" , 14" & 16"
- With knurled grip for star nut
- Available in grip also

■ DS-DRC

Color : **WEIGHT LIFTING RODS TRAINING**

- 25 mm solid chrome plated steel
- 28 mm solid chrome plated steel

■ DS-WLRT25

■ DS-WLRT28

Color : **AEROBIC STEPPER 75CMS**

- 75CM with adjustable height
- High Quality
- Made In India

■ DS-AS

Color : **NEOPRENE DUMBBELLS**

- Neoprene coated
- Strong & Durable
- Available weights: 1 kg – 5 kg

■ DS-ND

Color : **NEOPRENE KETTLEBELL**

- Item Weight: 2 KG TO 20 KG
- Neoprene Kettelbell
- Fine Quality & Wide Handle
- Made In India

■ DS-NK

Color : **VINYL DUMBBELLS**

- Vinyl dumbbell full-cover coated
- Size: 1kg, 2kg, 3kg, 4kg & 5kg

■ DS-VD

Color : **SOFT PLYO BOX**

- Made of special material covered with soft sponge & strong non tearing fabric.
- Set of 4- 6", 12", 18" & 24"
- 100% Quality Satisfaction
- Costing- Set of 4

| | |
|-------------|-----|
| ▪ DS-IPJS6 | 6" |
| ▪ DS-IPJS12 | 12" |
| ▪ DS-IPJS18 | 18" |
| ▪ DS-IPJS24 | 24" |

Color : **AB ROLLER FOAM HANDLE**

- High Strength Any Slip & Strong Grip
- Made In India

- DS-ABRFH

Color : **FOAM ROLLER**

- Foam Roller with PP Ring Inside
- Inside 33 CM

- DS-FR

Color : **WEIGHT LIFTING PLATFORM**

- Material:** outdoor breach wood and water proof plywood
Size: 4000 mm x 4000 mm (4 mtrs x 4 mtrs) height 100mm (10 cm)
Connecting rods: Solid metal rods with rust proofing (galvanized)
Rubber Floor: 30mm 20mm epdm rubber sheets anti skid
- Lying wood blocks one by one Pasting of epdm sheet on wooden blocks platform.
 - Fixing of connecting rods
 - Inserting fix rods in the aligned wooden blocks. (holes are already here)
 - In the blocks
 - Accessories

- DS-WLP

Color : **RESISTANCE TUBE**

- Made from 100% latex. Comes in 4 different resistance strength levels: Light, Medium, Heavy and X-Heavy. They're suitable for beginner or a seasoned workout sportsman.
- Whether you are a beginner or expert, resistance Tubes have a place in your home gym. Resistance Tubes work your muscles like weights do – your muscles contract to generate force to stabilize and control the desired,
- Loop Resistance Tubes increase the effectiveness of your exercises. Used for a range of workouts, from glute and hip activation, strength techniques to integrate seamlessly with every workout program such as Yoga, Pilates, etc.
- Resistance Tube can be used to exercise all parts of muscles such as arms, chest, abdomen, glutes and legs, also good for Physical Therapy, Recovery or to increase Mobility.
- GREAT INVESTMENT FOR YOUR BODY: Even just spending 15-20 minutes per day with our resistance Tubes results in consistent progress!
- We have Soft PVC Handle, pre-attached, for continued comfort during repetitive movements. It's provide comfortable and slip-free grip.

| | | | |
|--------------|-------|--------------|-------|
| ▪ DS-RT10LBS | 10LBS | ▪ DS-RT40LBS | 40LBS |
| ▪ DS-RT20LBS | 20LBS | ▪ DS-RT50LBS | 50LBS |
| ▪ DS-RT30LBS | 30LBS | | |

Color : **BLACK RUBBER COATED PLATE**

- Fine quality black rubber with casting, durable economic with 30mm hole.

| | |
|-------------|---------|
| ▪ DS-BP1 | 1 kg |
| ▪ DS-BP2.5 | 2.5 kg |
| ▪ DS-BP5 | 5 kg |
| ▪ DS-BP7.5 | 7.5 kg |
| ▪ DS-BP10 | 10 kg |
| ▪ DS-BP12.5 | 12.5 kg |
| ▪ DS-BP15 | 15 kg |
| ▪ DS-BP17.5 | 17.5 kg |
| ▪ DS-BP20 | 20 kg |
| ▪ DS-BP25 | 25 kg |

Color : **FAN SHAPED PLATES**

- 4Fan shaped weight lifting plate super fine rubber with 30mm, Or 53mm aluminum hole
- In a box packaging.

| | |
|-------------|--------|
| ▪ DS-FSP2.5 | 2.5 kg |
| ▪ DS-FSP5 | 5 kg |
| ▪ DS-FSP7.5 | 7.5 kg |
| ▪ DS-FSP10 | 10 kg |
| ▪ DS-FSP15 | 15 kg |
| ▪ DS-FSP20 | 20 kg |

Color : **FINGER GRIP STEERING**

- Finger grip steering cut super fine rubber weight plate with 30mm & 53mm aluminum hole.
- In a box packaging

| | |
|-------------|--------|
| ▪ DS-FGS2.5 | 2.5 kg |
| ▪ DS-FGS5 | 5 kg |
| ▪ DS-FGS7.5 | 7.5 kg |
| ▪ DS-FGS10 | 10 kg |
| ▪ DS-FGS15 | 15 kg |
| ▪ DS-FGS20 | 20 kg |

Color : **RESISTANCE BAND/LOOP BAND**

- Made from 100% latex. Comes in 4 different resistance strength levels: Light, Medium, Heavy and X-Heavy. They're suitable for beginner or a seasoned workout sportsman. Made from high-quality natural rubber, De Jure Fitness Resistance Bands offer exceptional elasticity and long-lasting durability.
- VERSATILE EXERCISE TOOL: Suitable for a wide range of fitness activities, these bands enhance movements in the hips, legs, chest, back, and arms, making them perfect for yoga, Pilates, and physical therapy.
- Ideal for improving flexibility and aiding in recovery, these resistance bands are highly effective in various workout routines and physical therapy sessions.
- Designed for convenience, these bands are lightweight and can be easily rolled up and stored with your workout equipment, making them perfect for use at home or the gym.
- Suitable for both men and women, these bands are ideal for warming up muscles and preparing for high-intensity workouts, offering light to high resistance levels.

| | | | |
|------------|---------------|-----------|--------------|
| ▪ DS-RB6.4 | L2080*W45*6.4 | ▪ DS-RB32 | L2080*W45*32 |
| ▪ DS-RB13 | L2080*W45*13 | ▪ DS-RB45 | L2080*W45*45 |
| ▪ DS-RB21 | L2080*W45*21 | | |

BOXING RING INDOOR/OUTDOOR



BOXING RING OUTDOOR

Size: 7.8 meters x 7.8 meters x 1 meter

Base Metal Structure Pipe: 40mm x 40mm ms steel powder coated pipe. Fully assemble.

Pole At Corners: 6" round ms steel powder coated pipe.

Plywood On Platform: 16mm compressed plywood

Side Ropes (4x4): 32mm jute ropes with non tearing waterproof coverings. At 400mm , 7100mm , 1020mm and 1320mm

Side Ropes Metal Spring Connector: Heavy duty springs with zinc treatment.

Cushion / Padding At Corners: 50mm ep foam padding covered with non tearing 580 gsm waterproof fabric. Velcro system.

Chair At Coners: metal pipe foldable and turn around chairs. Padded seating.

Steps: two sides steps. 3 steps to climb.

- 16mm plywood with termite coatings

- 40mm x 40mm ms metal pipe structure with center pole powder coated

- 20mm JSR Rugs on platform

- Heavy Duty 4 x 4 metal spring system with zinc treatment

- Non Tearing 780 GSM Fabric on ropes 4X4 Heavy Duty 4X4 metal spring system with zinc treatment

- With termite coatings. Metal girders for superior rigidity size : 6.1mtrs x 6.1 mtrs

- JSR sheet /rugs on platform: 20mm JSR foam sheet. Non tearing cover on platform: 780 gsm heat sealed (no joints) colour available dark blue, yellow, covers full platform and bottom part of the ring with eyelets and velcro.

▪ DS-BRO

BOXING RING INDOOR

Official Competition Size: 7.8 Mt X 7.8 Mt X 1 Mt

Base Metal Structure Pipe: 40mm X 40mm Ms Steel

Pole At Corners: 6" Round Ms Steel Powder Coated Pipe

Plywood On Platform: 16mm Marine Compressed

Superior Rigidity Size: 6.1mtrs X 6.1 Mtrs.

JSR Sheet /rugs On Platform: 20mm Jsr Foam Sheet Non Tearing Cover On Platform: 780 Gsm Waterproof Heat Sealed (No Joints) Colour Avilable Dark Blue, Yellow, Covers Full Platform And Bottom Part Of The Ring With Eyelets And Velcro.

Side Ropes (4x4): 32mm Jute Ropes With Non Tearing Waterproof Coverings. at 400mm , 7100mm , 1020mm And 1320mm

Side Ropes Metal Spring Connector: Heavy Duty Springs With Zinc Treatment Cushion/ Padding At Corners: 50mm Ep Foam Padding Covered With Non Tearing 580 Gsm Water-proof Fabric Velcro System.

Chair At Coners: Metal Pipe Foldable And Turn Around Chairs. Padded Seating. Steps: Two Sides Steps. 3 Steps To Climb.

Assembly Instructions: 45 Minutes With 2 Person All Instructions Will Be Marked Any Pipe Any Side, All Equal Holes

- Heavy Duty 4 X 4 Metal Spring Systemwith Zinc Tretment


- Non Tearing 780 Gsm Fabric On Ropes 4x4

- Base Metal Frame & 20mm Jsr Rugs On Platform

- Powder Coated Pipe With Zinc Treatment. Fully Assemble.

- Plywood With Termite Coatings. Metal Girders For

▪ DS-BRI



PUNCHING BAG



BOXING PUNCHING BAG-60CM

- Made of high quality 1000 denier non tearing
- Synthetic fabric with steel chain.
- Size: 60cm

▪ DS- PB60



BOXING PUNCHING BAG- 90CM

- Made of high quality 1000 denier non tearing
- Synthetic fabric with steel chain.
- Size: 90cm

▪ DS- PB90



BOXING PUNCHING BAG- 120CM

- Made of high quality 1000 denier non tearing
- Synthetic fabric with steel chain.
- Size: 120cm

▪ DS- PB120

TRACK & FIELD: ATHLETICS EQUIPMENT & LINE MARKING MACHINE

****OEM Available**



ATHLETICS EQUIPMENT



Color :

SHOT PUT

- Made of Superior Turned Metal Balanced
- Spray painted with metallic polyurethane paints
- With embossed weight display For Training School & Club Level

| | |
|-----------|--------|
| DS-SP1 | 1kg |
| DS-SP2 | 2kg |
| DS-SP3 | 3kg |
| DS-SP4 | 4kg |
| DS-SP5 | 5kg |
| DS-SP5.45 | 5.45kg |
| DS-SP7.26 | 7.26kg |



Color :

JAVELINE

- Made of high strength aluminum.
- Provides maximum advantage to throwers, best for both beginners & professionals.
- Fine tip with superior grip

| | |
|-----------|-------|
| DS-JAV400 | 400gm |
| DS-JAV500 | 500gm |
| DS-JAV600 | 600gm |
| DS-JAV700 | 700gm |
| DS-JAV800 | 800gm |



Color :

DISCUS WOODEN

- Wooden with Steel Rim
- Made of Superior Hard Wood
- Counter Balanced with weight and strong steel rim
- With embossed weight display
- For Training School & Club Level

| | |
|---------|-------|
| DS-DIS1 | 1kg |
| DIS1.5 | 1.5kg |
| DIS2 | 2kg |



LONG JUMP TAKE OFF COMPLETE SET

Material: Aluminium+Wood
Height: 0.10m
Length: 1.33m
Width: 0.35m
Weight: 51kg
Color: White powder-coated
Used for: Long jump

DS-LJTOBCS

Color :



VICTORY STAND

Material: Iron & Wood
Colour: White
Pi Thickness: 18 Mm
Length: 48"

DS-VS

Color :



LONG JUMP TAKE OFF WOODEN BOARD

Material: Wood
Height: 0.10m
Length: 1.33m
Width: 0.35m
Weight: 51kg
Color: White powder-coated
Used for: Long jump

DS-LJTOB

Color :




CHAMPIONSHIP HIGH JUMP STAND

- For calibration upto 2 mtr high school model highjump stand
- T-shaped base or round base
- Painted steel upright calibration both in inches & cm.

DS-CHJS

Color :

STARTING BLOCK



STARTING BLOCK ALUMINIUM

Material: Aluminum
Size: 30" x 65 mm
Color: Silver & Green/Blue

- DS-SBA



STARTING BLOCK STEEL

Material: Stainless Steel
Color: Red

- DS-SBS

LINE MARKING MACHINE



LINE MARKING MACHINE ALUMINIUM

- Tank for liquid paint , for 2" , 3" , 4" lines
- Aluminum line marking structure for proper aligned lining
- Side Wheels 13 inches
- Pipe: 22mm round pipe

- DS-LMMA



LINE MARKING MACHINE STEEL

- 25 mm round steel pipe
- 10 kg powder tanks
- 200mm nylon side wheels and front 150mm wheel for proper lining marking
- Line thickness: 1inches to 4inches

- DS-LMMS



LINE MARKING MACHINE STEEL 16 GAUGE

- 25mm round steel pipe
- 16 gauge ms steel tank
- Capacity 10 kg powder
- Wheels side 6inches tyre
- Line thickness : 1 inches to 4inches

- DS-LMMS16

TABLE TENNIS & BOARD GAME

****OEM Available**

disport[®]
get your game on



TABLE TENNIS



Color :

TABLE TENNIS DELUXE 16 MODEL

International Standard Regulation Table Size: 2740 x 1525 x 760mm,
Top Thickness: 16mm laminated plywood with anti glare paint,
Frame Size: 17mm x 23mm, Powder coated
Leg Size: 25mm x 25mm, Powder coated
Safety Lock: 2 locks
Wheel: NA
Assemble Time: 7 to 10 minutes

■ DS- TTDM16



Color :

TABLE TENNIS LEISURE 16

International Standard Regulation Table Size: 2740 x 1525 x 760mm,
Top Thickness: 16mm laminated plywood with anti glare paint,
Frame Size: 17mm x 23mm, Powder coated
Powder Coated Leg Size: 25mm x 25mm, Powder coated
Wheel: 50mm x 8 wheel two with locking system
Safety Lock: 2 locks
Assemble Time: 7 to 10 minutes

■ DS- TTL16



Color :

TABLE TENNIS HOBBY 19

International Standard Regulation Table Size: 2740 x 1525 x 760mm,
Top Thickness: 19mm laminated plywood with anti glare paint,
Frame Size: 20mm x 30mm, Powder coated
Powder Coated Leg Size: 32mm x 32mm, Powder coated
Wheel: 50mm x 8 wheel two with locking system
Safety Lock: 2 locks
Assemble Time: 7 to 10 minutes

■ DS- TTH19



Color :

TABLE TENNIS SUPER MINI 12

International Standard Regulation Table Size: 600 x 300 x 70 mm
Top Thickness: s 12mm laminated plywood with anti glare paint

■ DS- TT-SM12



Color :

TT BALL CATCHER NET STAND FOLDABLE

- Made of 25X38 mm
MS Pipe Size: 1550 X 1828 mm

■ DS- TTBCNS



Color :

TT BALL PICKER

- Table Tennis Ball Picker
- The portable table tennis ball picker can store approximate 120pcs balls
Adjustable Range: 16.9inch to 37.8inch

■ DS- TTBP



Color :

TABLE TENNIS INTERNATIONAL DELUXE 19

International Standard Regulation Table Size: 2740 x 1525 x 760mm,
Top Thickness: 19mm laminated plywood with anti glare paint,
Frame Size: 25mm x 38mm, Powder coated
Powder Coated Leg Size: 38mm x 38mm, Powder coated
Wheel: 75mm x 8 wheel two with locking system
Safety Lock: 2 locks
Assemble Time: 7 to 10 minutes

■ DS- TTID19



Color :

TABLE TENNIS PROFFESIONAL

International Standard Regulation Table Size: 2740 x 1525 x 760mm,
Top Thickness: 19mm laminated plywood with anti glare paint,
Frame Size: 30mm x 60mm, Powder coated
Powder Coated Leg Size: 50mm x 50mm, Powder coated
Wheel: 100mm x 8 wheel two with locking system
Safety Lock: 2 locks
Assemble Time: 20 minutes

■ DS- TT-ITTF



Color :

MAGIC TABLE TENNIS

Table Size: 900 x 450 x 760 mm
Top Thickness: 12mm laminated high quality
Wheel: NA

■ DS- MTT



Color :

UMPIRE TABLE

- Display Size: 72x69x33 cms
- Plywood 15mm with layer of coating to make it more smooth
- Perfect for International Competition and used is various European & World Championship
- Made in India



Color :

TOWEL STANDS

- Size: 69x31x31 cm
- It is variable in use and should therefore not be missing in any table tennis hall. In competitions it serves as a practical towel rail and also can be used in club training



Color : Customized Color

ARENA REGULAT MODEL

- With metal pipe
- Barrier Sizes: 1.4 mm & 2.33 mm
- Fabric Non tearing PVC coated fabric

**** Customized Logo & other color also available**



OPTION 1



OPTION 2

DELUXE COMPETITION MODEL

- Barrier dimensions :Barriers are 200 cm wide and 75 cm tall.
- The feet are 30 cm long for increased stability.
- The tubes at the base of the barriers feature an interlocking system so you can easily create clean, stable corners for the playing areas. You can fit the feet together to create court areas around your club or training/competition facility.
- Easy storage
- Save floor space! Use the notch at the top of the barrier to hang them when storing.
- Composition: Frame: 100.0% Steel; Main fabric: 100.0% Polyester

****Logo Customisation Available**Color : **MAGNETIC BALL BAG**

Magnetic ball Bag which carry about 50 ttb and can stick to table top

- DS-MBB

Color : **BOARD GAME**Color : **BIRCH BOARDS 4X2-24MM**

Carrom Board Premium 24mm, Waterproof & Scratchresistant, Matt

- With kikar wood frames
- Cane Wood Back Support
- As per ICF standards

Playing Size: 29X29 inches**Frame:** 4X2 inches Natural Grained**Plywood:** Birch English**Ply Thickness:** 24 mm**Gross Weight:** 21kgs**Volume:** 0.09

- DS-CP4224NN PREMIUM 24MM

Color : **BIRCH BOARDS 4X2-20MM**

Carrom Board Premium 20mm, Waterproof & Scratchresistant, Matt

- With kikar wood frames
- Cane Wood Back Support
- As per ICF standards

Playing Size: 29X29 inches**Frame:** 4X2 inches Natural Grained**Plywood:** Birch English**Ply Thickness:** 20 mm**Gross Weight:** 20kgs**Volume:** 0.09

- DS-CP 4220NN PREMIUM 20MM

Color : **DELUXE BOARDS 4X2-24MM**

Carrom Board Premium 24mm, Waterproof & Scratchresistant, Matt

- With kikar wood frames
- Cane Wood Back Support
- As per ICF standards

Playing Size: 29X29 inches**Frame:** 4X2 inches Natural Grained**Plywood:** Natural Indian**Ply Thickness:** 24 mm**Gross Weight:** 20kgs**Volume:** 0.09

- DS-CP4224 DELUXE 24MM

Color : **DELUXE BOARDS 4X2-20MM**

Carrom Board Premium 20mm, Waterproof & Scratchresistant, Matt

- With kikar wood frames
- Cane Wood Back Support
- As per ICF standards

Playing Size: 29X29 inches**Frame:** 4X2 inches Natural Grained**Plywood:** Natural Indian**Ply Thickness:** 20 mm**Gross Weight:** 20kgs**Volume:** 0.09

- DS-CP 4220 DELUXE 20MM

Color : **DELUXE BOARDS 3X2-8MM**

Carrom Board Premium 8mm, Waterproof & Scratchresistant, Matt

- With kikar wood frames
- Cane Wood Back Support
- As per ICF standards

Playing Size: 29X29 inches**Frame:** 3X2 inches Natural Grained**Plywood:** Natural Indian**Ply Thickness:** 8 mm**Gross Weight:** 15kgs**Volume:** 0.09

- DS-CD328 DELUXE 8MM

Color : **DELUXE BOARDS 3X2-12MM**

Carrom Board Premium 12mm, Waterproof & Scratchresistant, Matt

- With kikar wood frames
- Cane Wood Back Support
- As per ICF standards

Playing Size: 29X29 inches**Frame:** 3X2 inches Natural Grained**Plywood:** Natural Indian**Ply Thickness:** 12 mm**Gross Weight:** 16kgs**Volume:** 0.09

- DS-CD3212 DELUXE 12MM



Color :

DELUXE BOARDS 3X2-16MM

Carrom Board Premium 16mm, Waterproof & Scratchresistant, Matt

- With kikar wood frames
- Cane Wood Back Support

Playing Size: 29X29 inches

Frame: 3X2 inches Natural Grained

Plywood: Natural Indian

Ply Thickness: 16 mm

Gross Weight: 17kgs

Volume: 0.09

- DS-CD3216 DELUXE 16MM



Color :

ECONOMIC BOARDS 2X1.5-4MM

Carrom Board Economical 4mm Waterproof & Scratchresistant, Glossy

Playing Size: 29X29 inches

Frame: 2X1.5 inches Natural Grained

Plywood: Natural Indian

Ply Thickness: 4 mm

Gross Weight: 7kgs

Volume: 0.072

- DS-CE2154 ECO 4MM



Color :

ECONOMIC BOARDS 2X1.5-6MM

Carrom Board Economical 8mm Waterproof & Scratchresistant, Glossy

Playing Size: 29X29 inches

Frame: 2X1.5 inches Natural Grained

Plywood: Natural Indian

Ply Thickness: 6 mm

Gross Weight: 9kgs

Volume: 0.072

- DS-CE2156 ECO 6MM



Color :

ECONOMIC BOARDS 2X1.5-8MM

Carrom Board Economical 8mm Waterproof & Scratchresistant, Glossy

Playing Size: 29X29 inches

Frame: 2X1.5 inches Natural Grained

Plywood: Natural Indian

Ply Thickness: 8 mm

Gross Weight: 10kgs

Volume: 0.074

- DS-CE2158 ECO 8MM



Color :

BCARROM STAND EASIFOLD STAND

- 17" Wide
- 34" High Hollow Round Metal Pipe
- Strong Durable Rubber Supporters
- And Adjusters

- DS-BRCC

FOOSBALL TABLE



FOOSBALL TABLE: WOODEN LEG

TABLE DIMENSION:

Football Model: Disport Football Table

Length: 143cm

Width: 76cm

Height: 80cm

Weight: 75 Kg

Packing: 152 x 82 x 36cm

TABLE SPECIFICATIONS:

Cabinet Construction: Heavy duty 30mm

Table Legs: 80mm Square wooden legs

Football Rods: 16mm solid rods

Handles: Professional plastic handles and improve grip

Playing Field: Normal green laminated

Players: White/ Yellow players

Goalkeeper: Fully rotating 360 degrees/ Half rotation 180 degrees

- DS-FBTWL

Color :



FOOSBALL TABLE: METAL LEG

TABLE DIMENSION:

Football Model: Disport Football Table

Length: 143cm

Width: 76cm

Height: 80cm

Weight: 75 Kg

Packing: 152 x 82 x 36cm

TABLE SPECIFICATIONS:

Cabinet Construction: Heavy duty 30mm

Table Legs: 80mm Square wooden legs

Football Rods: 16mm solid rods

Handles: Professional plastic handles and improve grip

Playing Field: Normal green laminated

Players: White/ Yellow players

Goalkeeper: Fully rotating 360 degrees/ Half rotation 180 degrees

- DS-FBTML

Color :

STADIUM EQUIPMENTS

disport[®]
get your game on

****OEM Available**



TURF & OTHER ACCESSORIES

FOOTBALL TURF


Color :

Football is the most followed sport from the past to the present. For this reason, the ground and the quality of the ground on which football is played are very important. Football was played on natural grass in the past. Although it was fun to play football on natural grass, it reduced the quality of football. For this reason, the better the quality of the ground on which the football is played, the higher the quality of the football.

Artificial turf, which we call football turf, is a modern type of ground used in football fields instead of natural turf. Artificial turf is a long-lasting and artificial ground type compared to natural turf. Since the slippery ground is reduced, the probability of injury on artificial turf is very low. Artificial turf that we produce with advanced polymer technology offers athletes a superior gaming experience. This is why artificial turf is vital for football. Europe is best artificial grass manufacturer. It produces the best quality and longest-lasting artificial grass for football fields.

The artificial turf produced by our company is the grass that has reduced slipperiness, is resistant to UV rays, and does not fade over time. That's why it's very long-lasting. Compared to natural grass, it is a type of floor that increases the quality of play and is suitable for use in all seasons.

SUCCESSFULLY HANDEL PROJECT IN EAST AFRICA, ISTANBUL, ISRAEL, KYRGYZSTAN , LIBERIA , TURKEY, KOSOVO



PRO ODIN GRASS- AS PER INTERNATIONAL FEDERATION STANDARDS

- It is an artificial grass carpet that is produced in 55 mm–60 mm pile heights and as per international federation standards.
- This product, made of Spine Shape yarn, has a Monofilament 12000/6 dtex value and with this feature, it has an important quality in the carpet category.
- It is our international federation standards Licensed Artificial Grass Product.
- ProOdin Grass is made of 320-micron yarn and it provides a long-term performance guarantee.
- It is a international federation standards-licensed product; It is a product that is uitable for use in many professional and standard sports fields.
- It is produced in mixed color in accordance with the licensed fields defined by international federation standards.
- Made In Europe


▪ DS-POG



ODIN GRASS

- It is an important product for professional football turf systems.
- This product has been made of Spine Shape yarn, has a Monofilament 12000/6 dtex value, and with this feature, it has an important quality in the carpet category.
- Odin Grass is made of 320-micron yarn and it provides a long-term performance guarantee.
- The spine thickness of the product has a very ideal micron size, so it provides excellent protection against wear and tear.
- Odin Grass has a monofilament yarn value of 12000 dtex and is produced in 20 mm–65 mm pile heights & offers comfortable use.
- It is a type of artificial grass carpet used in football fields.
- Made In Europe

▪ DS-OG



HYBRID GRASS

Hybrid grass is a type of turf known as reinforced natural grass and has been preferred over artificial turf in football in recent years. The fact that natural grass is not durable & artificial turf cannot provide natural texture in stadiums showed that a new grass system is needed. This new lawn system should provide both longevity & ease of use in all four seasons. The stable and secure playing surface, the ball bounce & the comfort of natural grass, are features desired by the player.

- Very high flexibility
- Protects artificial fibers.
- Better vibration absorption.
- Allows full water permeability.
- It keeps an excellent binding of the pile.
- Same feeling and quality with natural turf

This system, which we call hybrid turf, is a long-lasting and constantly renewing system suitable for use in all seasons.

▪ DS-HG

HYBRID GRASS

Hybrid turf is often used in landscaping and sports fields, as it is able to withstand heavy use and provides a more attractive and durable surface. Hybrid grass, which we call reinforced natural grass, consists of a combination of natural turf and artificial turf. Hybrid turf is produced by attaching artificial turf systems to natural turf seeds. The aim is to obtain maximum ground quality in areas where air flow and sun rays are not sufficient. It is suitable for the new generation stadiums. Hybrid turf application is applied to all newly built stadiums in the world.

Today, many sports clubs change their artificial turf astroturf floors to hybrid turf. One of the most important reasons for the widespread use of hybrid grass as a football ground is that natural grass is a suitable ground type for football. However, the longevity of natural grass and the high maintenance cost necessitated the development of artificial turf. In time, other alternatives have been started to be considered instead of artificial turf in order to increase the quality of the football ground. As a result of these researches and studies, hybrid grass has emerged. Hybrid grass is the closest ground type to natural grass and the ground quality is very high because it is reinforced with artificial grass yarns.

The 15 Most Advantageous Features of Hybrid Grass

Hybrid turf is a system that is applied to new generation stadiums. In fact, when new ground works are carried out in old stadiums, the floors are replaced with hybrid turf. There are many advantageous features of the hybrid turf, which increases the game quality.

1. It is suitable for use in four seasons.
2. UV resistant, does not fade in the sun.
3. Does not freeze in winter months.
4. There is no puddle on it.
5. It is suitable for use in bad weather conditions.
6. It provides an aesthetic and elegant stadium layout.
7. Different color alternatives are available.
8. Thanks to its strong root structure, the grass does not break away from the ground.
9. Refreshes the image of soccer clubs.
10. Maintenance is easy.
11. Maintenance costs are very low.
12. It is more durable compared to natural and artificial grass.
13. It provides the quality of playing games on natural grass.
14. It remains green in all four seasons.
15. The floor regenerates itself very quickly and is ready for reuse.



ACCESSORIES WITH TURF



GEOTEXTILE

- It is placed under the turf to control weed growth and deter worms and it is white in colour.
- When installing artificial grass, the geotextile layer is an essential part of the process which helps to give strength & support to Turf.



SBR RUBBER GRANULES

- Recycled rubber produced with perfect shape and size.
- Sizes available: 0.8 to 3MM



GRASS KNIFE

- Turf cutting knife, stainless steel, durable blade with rubberized grip



TRACTOR

- Model: Sentechag700 Hali- Infill brusher petrol driven



INFILL CARRIER

- With three wheels 150 kgs
- Rubber Granule and Sand Infill Machine For Artificial Grass Installation
- Powder coated , heavy duty steel



BI-COMPONENT GLUE 9+1

- Adhesive glue 21+3 for turf



GRASS CUTTER

- Grass cutter Stainless steel, Single Blade



SEAMING TAPE

- 0.28x100 mt
- Non Adhesive 450 Gsm
- 100 m Single Sided Tape
- Artificial Grass Joint Tape
- Seaming Tape





STADIUM FENCE

Size of one block of fence: 2 meters x 1.5 meter (height)

Upright poles: 75mm round galvanized steel pipes

Top pipe: 31mm round in galvanized steel

4 x horizontal pipes: 19mm round galvanized steel. With centre support pipe 19mm round galvanized steel

Metal strip welded: 5mm thick and 20mm wide, galvanized steel to fix the horizontal poles to upright poles

- 30 cm extra upright pole for ground incretion with concrete fillings.
- Powder coated (any colour can be done)
- 10 x Gates (3 each on long side and 2 each on shorter sides) for passage size 90cm x 1.5 mtrs with locking system
- Closed round heads for upright poles.

- DS-SF Long Sides: 105 Mtrs And 105 Mtrs
Small Side : 80 Mtrs And 80 Mtrs



BALL CATCHER NET

Pole: Galvanized steel 75mm round powder coated

Height: 6.9 meter , 23 ft Fixing : 90 cms Inside ground

With ground sleeves of 80mm round Mild Steel

Net: 3meter twisted twine , mesh 12cm x 12cm Uv coated

- DS-BCN

MAST POLE



HIGH MAST POLE-35M

Material: Hot dip galvanized stadium high mast for longer life

Pole Height: 35 meter

Top Dia For Each Height: 150mm,

Bottom Dia For Each Height: 540mm

Base Plate For Each Height: 730x730x30mm

Section: 03

Sheet Thickness: 6/5/4 mm

Weight: 30m-2700 kgs approx

Light Structure: 15-20 light structure, lantern carriage-we specialize in custom built design, standard lighting design and various types and shapes. The lantern carriage is supported with three number flexible 6sq. Mm. S.S wire rope from the distributors that can be elevated/lowered electrically and mechanically.

Optional: No site welding, only bolted joints shall be done on the mast assembled with the help of crane

- The mast together with the fixture shall be capable of with standing the appropriate wind loads as per is 875. The mast shall be fabricated from special steel plates conforming to BSEN10-025 and folded to form a polygonal section.

- Platform, ladder, template, foundation bolt included

- Made in India

- DS-HMP35



HIGH MAST POLE-20M

Material: Hot dip galvanized stadium high mast for longer life

Pole Height: 20 meter

Top Dia For Each Height: 150mm,

Bottom Dia For Each Height: 410mm

Base Plate For Each Height: 650x650x25mm

Section: 05

Sheet Thickness: 5/4 mm

Weight: 30m-1700 kgs approx

Light Structure: 15- 20 light structure, lantern carriage-we specialize in custom built design, standard lighting design and various types and shapes. The lantern carriage is supported with three number flexible 6sq. Mm. S.S wire rope from the distributors that can be elevated/lowered electrically and mechanically.

Optional: No site welding, only bolted joints shall be done on the mast assembled with the help of crane

- The mast together with the fixture shall be capable of with standing the appropriate wind loads as per is 875. The mast shall be fabricated from special steel plates conforming to BSEN10-025 and folded to form a polygonal section.

- Platform, ladder, template, foundation bolt included

- Made in India

- DS-HMP20



HIGH MAST POLE-35M

Material: Hot dip galvanized stadium high mast for longer life

Pole Height: 35 meter

Top Dia For Each Height: 150mm,

Bottom Dia For Each Height: 540mm

Base Plate For Each Height: 730x730x30mm

Section: 03

Sheet Thickness: 6/5/4 mm

Weight: 30m-2700 kgs approx

Light Structure: 15-20 light structure, lantern carriage-we specialize in custom built design, standard lighting design and various types and shapes. The lantern carriage is supported with three number flexible 6sq. Mm. S.S wire rope from the distributors that can be elevated/lowered electrically and mechanically.


Optional: No site welding, only bolted joints shall be done on the mast assembled with the help of crane

- The mast together with the fixture shall be capable of with standing the appropriate wind loads as per is 875. The mast shall be fabricated from special steel plates conforming to BSEN10-025 and folded to form a polygonal section.

- Platform, ladder, template, foundation bolt included

- Made in India

■ DS-HMP35



STADIUM MAST POLE PICTURE DRAWING

LIGHTS



STADIUM DSTC LIGHTING-500 WATTS

- Most suitable for stadium.

- 6000k cool white color.

- Detailed Im 79 certified prescribed test reports attached making everything very clear, no guess work needed.

- Wattage could be demonstrated on digital meter in video-chat / you can test at your place, along with lux meter brightness through app on your smart mobile phone, and it would be clear what you are getting is the best available. It is not just the price, but what you get in that. Best brightness, better than any branded/unbranded light. Prove anything better and take our light free.

- Very scientifically designed, black color, fin type aluminum housing / body, ip 66, weight 5 6.824 kg, 42 x 42 x 36 cm size, lumens : 62113.3 500 watts, waterproof, moisture proof for outdoor/indoor scientifically designed, to dissipate heat generated for continuous long running life.

- 85-300 volts, 6 kva surge, 0.99 pf, inbuilt sensors, protection mechanisms & state of art features, makes it near fail-proof.

- Made in India

Recommendation:

- For one stadium 4 poles structure

- 2 x 2 pole structure with 20 light on each pole

■ DS-SDSTCL500W



SOLAR PANEL SYSTEM -LED FLOOD LIGHT

System: 15 Kva Solar Offgrid Rooftop System

Panel: 540 Wp 5 Panels Mono 40 Pcs

Pcu: 15 Kw Solar Pcu 240v 1 Pc

Structure: Galvalin Structure Set

Batteries: 200ah 40 Pcs Solar Batteries

Size Of Batteries: 2 Ft X 2 Ft

Each Size Of Panels: 8 Ft X 4 Ft

Solar Panel System: Led Flood Light

Other Details:

Power Backup: 10 Hours

Charging Time: 10-12 Hours (Radiation Method)

Online Power Transmission During Charging: Yes

Guarantee For Battery: 10 Years

Space Requirements For One Stadium Of 4 X Led Floodlight Mast

- Space Required For Each: 240 sq.Ft room fully covered & protected from rain water, high wind & sand storm wind or snow for batteries & control panel

- 1500 sq.Ft for solar panels (Roof of the stadium also can be utilised)

*** With Power Backup Capacity For 10 Hours**

*** Full Power Transmission During Charging Also**

■ DS-SPSLFL

DRAINAGE & IRRIGATION SYSTEM



DRAINAGE SYSTEM - 80X120 METERS (COMPLETE SET)

- Drainage Pipe 125 X 400 M
- Drainage Pipe 100 X 1,100 M
- Drainage Single Fork 125x100 X 30 Ea
- Drainage Manifold 125 X 4 Ea
- Drainage Manifold 100 X 12 Ea

- DS-DSCS80X120M

Color :     

OPTIONAL- 200 HP WATER MOTOR SYSTEM

- DS-O200HPWMS

Color :     



IRRIGATION SYSTEM - 68X105 METERS (COMPLETE SET)

- Pipe Pe100 90/10 Bar X 100 M
- Pipe Pe100 75/10 Bar X 400 M
- Pipe Pe100 63/10 Bar X 100 M
- Pe Caplin Tee 75x2"x75 Male X 2 Ea
- Pvc Record 2" Male Thread X 3 Ea
- Pe Nipple 2" Male X 3 Ea
- Plastic Valve Box Rectangular, Large Size X 1 Ea
- Standard Size X 1 Ea
- Plastic Valve Box Round, Medium Size X 1 Ea
- Teflon Tape X 50 Ea
- Underground Signal Cable 1x1.5 Nyy X 2,000 M
- Underground Signal Cable 1x2.5 Nyy X 600 M
- Electrical Tape: Black X 10 Ea
- Underground Melting Tape X 3 Ea
- Pe Caplin Adapter 90x2" Male X 3 Ea
- Pe Caplin Adapter 90x2" Female Thread X 1 Ea
- Pe Caplin Adapter 75x2" Female Thread X 3 Ea
- Pe Nipple Adapter 2x1.1/2" Male X 3 Ea
- Pe Caplin Elbow 75 X 5 Ea
- Pe Caplin Reduction Tee 75x63 X 3 Ea
- Pe Caplin Manifold 90 X 2 Ea
- Pe Caplin Manifold 75 X 3 Ea
- Pe Socket Collar 75x1.1/2" X 13 Ea
- Pe Caplin Blind Flange 75 X 2 Ea
- Solenoid Valve 2" X 1 Ea
- Popup Sprinkler Rotary (Cw Solenoid) X 16 Ea
- Swing Joint 1.1/2" L=30 Cm X 15 Ea
- LCD Controller 8 Stations X 1 Ea

- DS-ISCS68X105



STADIUM GATE

FLAP BARRIER

- Our renowned flap barriers entry system line utilizes the most advanced security optical sensing technology integrated into an ergonomic cabinet. Our designs focus on aesthetics and provide easy ingress/egress to any facility where installed, thereby ensuring security and controlled access. Our flap barrier solution can blend seamlessly into any lobby or prominent entryway. Flap Barrier user-friendly solution that facilitate "Self Service" bi-directional entry control into secure areas at high throughput capacities. The motorized barriers are equipped with sliding or swinging barrier panels controlled by our advanced microprocessor platform running our highly tuned detection software algorithm. We selected the best available IR beam technology for our sensor arrays and engineered the detection system to be easily tuned on site by selecting a choice of safety & security settings best suited for the specific environment and desired security levels.

Benefits:


- High performance secure entry solution
- User-friendly operation with safety redundancy
- Numerous finish options available
- Fast throughput rates
- Ease of peripherals integration

Application Areas:

- Office Building, Corporate Lobbies, Government Facilities, Financial Institutions.
- Defense Installation, Data Centers, University/Educational Institutions, Leisure Centers & Bus Terminals/Depots

TYPES OF FLAP BARRIER

DUAL LANE FLAP BARRIER



- DS-DLFB

SWING LANE FLAP BARRIER



- DS-SWLFB

SINGLE LANE FLAP BARRIER



- DS-SLFB

MULTI LANE FLAP BARRIER



- DS-MLFB

TURNSTILES GATE

We are one of the renowned suppliers of quality steel turnstile. These turnstiles are specially designed for the applications where the primary concern is narrow spaced and most economical. In our entire series turnstiles a quality stainless steel top and bottom lids are use where either the cabinet stainless steel or A1 quality painted steel. Some of the following factors are responsible for turnstiles trouble-free and increasing the working life. Advanced microprocessor controlled electronics.

Fine Mechanics processed on CNC machines. Contact-less position sensing technology. Hydraulic damper with adjustable damping ratio. Hardened steel cam manufactured on CNC machine.

TYPES OF FLAP BARRIER




BRIDGE TURNSTILE HGI300

- DS-BTSHGI300



VERTICAL TRIPOD TURNSTILE

- DS-VTTS



SWING TRIPOD TURNSTILE

- DS-STT



FULL HEIGHT DUAL LANE TURNSTILE

- DS-FHDLTF



FULL HEIGHT SINGLE LANE TURNSTILE

- DS-FHSLT

TEAM SPORTS WEAR

****OEM Available**

disport
get your game on

FABRIC TECHNOLOGY - MNEMONICS



GARMENT TECHNOLOGY - MNEMONICS



TEAM DRESSER

**Sublimate
Personalize**



Get your league into the game with custom teamwear.
Create custom jerseys, t-shirts and more featuring your league name or individual teams.
Choose a product to get started!

APPAREL-GOALKEEPER FOOTBALL



ARMOUR G.K JERSEY

- Micro Polyester
- Fall Safe Paddings
- Superior Colour Fastness
- Regular Fit

| | |
|--------|--------|
| 2023-1 | XS-XXL |
| 2023-2 | XS-XXL |
| 2023-2 | XS-XXL |

Color :   



GOALKEEPER PANT

- Micro Polyester
- Fall Safe Paddings
- Superior Colour Fastness
- Slim Fit

| | |
|--------|--------|
| 2024-1 | XS-XXL |
|--------|--------|

Color : 



GOALKEEPER SHORT

- Micro Polyester
- Fall Safe Paddings
- Superior Colour Fastness
- Regular Fit

| | |
|--------|------------------|
| 2301-1 | XS-XXL 5XS-2XS |
|--------|------------------|

Color : 

APPAREL-TEAMWEAR FOOTBALL



Color :     

ULTRA FOOTBALL JERSEY SET

- Dotted Micro Polyester
- Regular Fit

| | |
|--------|--------|
| 2020-1 | XS-XXL |
| 2020-2 | XS-XXL |
| 2020-3 | XS-XXL |
| 2020-4 | XS-XXL |
| 2020-5 | XS-XXL |



Color :     

WEAPON SUBLIMATION FOOTBALL JERSEY SET

- Micro Polyester
- Superior Colour Fastness
- Regular Fit

| | |
|---------|--------|
| 2043-7 | XS-XXL |
| 2043-8 | XS-XXL |
| 2043-9 | XS-XXL |
| 2043-10 | XS-XXL |
| 2043-11 | XS-XXL |



Color :    

ENCOUNTER FOOTBALL JERSEY SET

- Micro Square Knit Polyester
- 100% Polyester
- Half Sleeve
- Regular Fit
- Cut & Sew

| | |
|---------|------------------|
| 2004-12 | XS-XXL 5XS-2XS |
| 2004-13 | XS-XXL 5XS-2XS |
| 2004-14 | XS-XXL 5XS-2XS |
| 2004-15 | XS-XXL 5XS-2XS |
| 2004-16 | XS-XXL 5XS-2XS |



Color :     

ENCOUNTER FOOTBALL JERSEY SET FULL SLEEVE

- Micro Square Knit Polyester
- 100% Polyester
- Full Sleeve
- Regular Fit

| | |
|--------|------------------|
| 5087-4 | XS-XXL 5XS-2XS |
| 7175-2 | XS-XXL 5XS-2XS |
| 7175-3 | XS-XXL 5XS-2XS |
| 7175-4 | XS-XXL 5XS-2XS |
| 7175-5 | XS-XXL 5XS-2XS |



Color :     

DESTROYER FOOTBALL JERSEY SET

- Micro Polyester
- Half Sleeve
- Regular Fit

| | |
|--------|--------|
| 7175-1 | XS-XXL |
| 7175-2 | XS-XXL |
| 7175-3 | XS-XXL |
| 7175-4 | XS-XXL |
| 7175-5 | XS-XXL |




Color :     

DESTROYER FOOTBALL JERSEY SET FULLSLEEVE

- Micro Polyester
- Full Sleeve
- Regular Fit

| | |
|--------|--------|
| 5088-1 | XS-XXL |
| 5088-2 | XS-XXL |
| 5088-3 | XS-XXL |
| 5088-4 | XS-XXL |
| 5088-5 | XS-XXL |

APPAREL-TEAMWEAR VOLLEYBALL



Color :

FLASH VOLLEYBALL JERSEY SET

- Micro Polyester
- Superior Colour Fastness
- V Neck Line
- Regular Fit
- Cut & Sew

| | |
|--------|--------|
| 2150-1 | XS-XXL |
| 2150-2 | XS-XXL |
| 2150-3 | XS-XXL |
| 2150-4 | XS-XXL |



Color :

SPIRAL 2.0 VOLLEYBALL JERSEY SET

- Micro Bar Polyester
- Superior Colour Fastness
- Round Neck Line
- Regular Fit

| | |
|--------|--------|
| 2545-1 | XS-XXL |
| 2545-2 | XS-XXL |
| 2545-3 | XS-XXL |
| 2545-4 | XS-XXL |



Color :

SPIRAL SUBLIMATION VOLLEYBALL JERSEY SET

- Dotted Micro Polyester
- High Quality Front/Back Sublimation
- V Neck Line
- Regular Fit

| | |
|--------|--------|
| 2045-1 | XS-XXL |
| 2045-3 | XS-XXL |
| 2045-5 | XS-XXL |
| 2045-6 | XS-XXL |
| 2045-7 | XS-XXL |

APPAREL-TEAMWEAR ATHLETIC



Color :

ZION

- Micro Polyester
- Superior Colour Fastness
- V Neck Line
- Regular Fit
- Cut & Sew

| | |
|--------|------------------|
| 7178-1 | XS-XXL 5XS-2XS |
| 7178-2 | XS-XXL 5XS-2XS |
| 7178-3 | XS-XXL 5XS-2XS |
| 7178-4 | XS-XXL 5XS-2XS |



Color :

SKYLITE

- Micro Polyester Spandex
- Superior Colour Fastness
- Round Neck Line
- Regular Fit
- High Quality Full Sublimation

| | |
|--------|-------|
| 7196-1 | S-XXL |
| 7196-2 | S-XXL |
| 7196-3 | S-XXL |
| 7196-4 | S-XXL |



Color :

SPIRIT SUBLIMATION

- Micro Polyester
- Round Neck Line
- Regular Fit
- High Quality Front Sublimation

| | |
|--------|-------|
| 7195-1 | S-XXL |
| 7195-2 | S-XXL |
| 7195-3 | S-XXL |
| 7195-4 | S-XXL |

APPAREL-TEAMWEAR BASKETBALL



Color :

PANTHER BASKETBALL JERSEY SET

- Micro Polyester
- Superior Colour Fastness
- American Neck Line
- Regular Fit

| | |
|---------|--------|
| 2101-2 | XS-XXL |
| 2101-8 | XS-XXL |
| 2101-9 | XS-XXL |
| 2101-10 | XS-XXL |
| 2101-11 | XS-XXL |



Color :

PHANTOM 2.0 BASKETBALL JERSEY SET

- Micro Bar Polyester
- Superior Colour Fastness
- Round Neck Line
- Regular Fit

| | |
|--------|--------|
| 2544-3 | XS-XXL |
| 2544-8 | XS-XXL |
| 2544-9 | XS-XXL |



Color :

PANTHER SUBLIMATION BASKETBALL JERSEY SET

- Micro Polyester
- Superior Colour Fastness
- V Neck Line
- Regular Fit

| | |
|--------|--------|
| 2044-1 | XS-XXL |
| 2044-2 | XS-XXL |
| 2044-3 | XS-XXL |

APPAREL-TRAINING COLLARED NECK



Color :

RAY POLO-17 PIQUE T-SHIRT

- Polyester Cotton
- Tipped Knitted Collar
- Regular Fit

| | |
|--------|--------|
| 5044-1 | XS-XXL |
| 5044-2 | XS-XXL |
| 5044-3 | XS-XXL |
| 5044-4 | XS-XXL |



Color :

RAY POLO-9 T-SHIRT

- Polyester
- Regular Fit

| | |
|------|--------|
| 5089 | XS-XXL |
|------|--------|

APPAREL-TRAINING ROUND NECK

Color :    

BASIC POLO T-SHIRT

- Dotted Micro Polyester
- Knitted Collared
- 100% Polyester

| | |
|-----------|--------|
| ■ 2350-1 | XS-XXL |
| ■ 2350-2 | XS-XXL |
| ■ 2350-3 | XS-XXL |
| ■ 2350-4 | XS-XXL |
| ■ 2350-5 | XS-XXL |
| ■ 2350-6 | XS-XXL |
| ■ 2350-7 | XS-XXL |
| ■ 2350-8 | XS-XXL |
| ■ 2350-9 | XS-XXL |
| ■ 2350-10 | XS-XXL |

Color :    

CITY POLO T-SHIRT SB-2

- Polyester
- Light Weight Fabric Collar
- Regular Fit

| | |
|--------|--------|
| ■ 2355 | XS-XXL |
|--------|--------|

Color :    

HYDRA-29 ROUND TEE

- Brick Knitted Polyester Spandex
- Raglan Full Sleeve
- Front Slit
- Quatin Zipper(Front)
- Slim Fit

| | |
|----------|--------|
| ■ 7284-1 | XS-XXL |
| ■ 7284-2 | XS-XXL |
| ■ 7284-3 | XS-XXL |

APPAREL-SPORTS SHORTS

Color :     

URBAN PEACH SHORTS

- Micro Woven Fabric
- Additional Inner Wear Supports
- 2 Side Pocket With Zippers
- Regular Fit
- Superior Colour Fastness

| | |
|----------|--------|
| ■ 2037-4 | XS-XXL |
| ■ 2037-5 | XS-XXL |
| ■ 2037-6 | XS-XXL |
| ■ 2037-7 | XS-XXL |
| ■ 2037-8 | XS-XXL |
| ■ 2037-9 | XS-XXL |

Color :    

TRAINING-1 SHORTS

- Micro Polyester Woven Fabric
- 2 Side Pocket With Zippers
- Regular Fit
- Superior Colour Fastness

| | |
|----------|--------|
| ■ 7186-1 | XS-XXL |
| ■ 7186-2 | XS-XXL |






Color :     

SOCCER-SHORTS

- Knitted Polyester
- Superior Colour Fastness
- Regular Fit

| | |
|----------|--------|
| ■ 2302-2 | XS-XXL |
| ■ 2302-3 | XS-XXL |
| ■ 2302-5 | XS-XXL |
| ■ 2302-6 | XS-XXL |

APPAREL-TRACK PANTS

Color :     

HYDRA-1 ROUND TEE

- Micro Polyester
- 100% Polyester
- Half Sleeve

| | |
|----------|--------|
| ■ 2205-2 | XS-XXL |
|----------|--------|

Color :    

NITRO-10 ROUND TEE

- Micro Polyester
- 100% Polyester

| | |
|--------|--------|
| ■ 5092 | XS-XXL |
|--------|--------|

Color :    

AQUA-2 TRACK PAINT

- Stretchable Woven Fabric with Lycra
- Mesh Detailing For Ventilation
- Zipper Pocket
- Superior Colour Fastness
- Slim Fit

| | |
|----------|--------|
| ■ 7190-1 | XS-XXL |
| ■ 7190-2 | XS-XXL |
| ■ 7190-3 | XS-XXL |

Color :    

EURO-7 TRACK PANT

- Assorted
- Print Element At Side
- Superior Colour Fastness
- Slim Fit

| | |
|--------|--------|
| ■ 7222 | XS-XXL |
|--------|--------|

Color :     

TESSL-2 TRACK PANT

- Tesla Lycra Polyester
- Zipper Pocket
- Side Printed Element
- Slim Fit

| | |
|----------|--------|
| ■ 7206-1 | XS-XXL |
| ■ 7206-2 | XS-XXL |
| ■ 7206-3 | XS-XXL |

APPAREL-TRACK SUITS



Color :

DOBBY-2.0 TRACKSUIT

- Micro Chex Fabric
- Inner Mesh Lining
- Superior Colour Fastness
- Regular Fit

- 8073U-1(Upper) XS-XXL
- 8073B-1(Bottom) XS-XXL
- 8073-2 XS-XXL
- 8073-3 XS-XXL



Color :

CARBOXY-2 TRACKSUIT

- N.S Plain Fabric
- Superior Colour Fastness
- Contrast Colour Nivia Logo
- Inner Mesh Lining
- Regular Fit

- 8072-1 XS-XXL
- 8072U-1(Upper) XS-XXL
- 8072B-1(Bottom) XS-XXL



Color :

KRYPTO-3 TRACKSUIT

- Tesla Lycra Polyester
- Contrast Combination
- Printed Element
- Smart Fit

- 5611-1 XS-XXL
- 5611-2 XS-XXL
- 5611-3 XS-XXL



FOMA-2 TRACKSUIT

- Micro Polyester
- Superior Colour Fastness
- American Neck Line
- Regular Fit

- 5612-1 XS-XXL
- 5612-2 XS-XXL

Color :

KNEE PAD



Color :

VOLLEYBALL KNEE PAD

- Size: 4
- Knitted Sleeve with 12 mm PU foam

- VB-1598



Color :

VOLLEYBALL KNEE PAD

- Size: 4
- Knitted Sleeve with 12 mm PU foam

- VB-N01

BASKETBALL SHOES



Color :

STREET ART

- Size: 6-12
Upper: Breathable Mesh & TPU Film
Insole: Molded
PU Sole: Phylon, Rubber & TPU Shank

- BS-1156



Color :

SKYRUSH

- Size: 6-12
Upper: Breathable Mesh & TPU Film
Insole: Molded
PU Sole: Phylon, Rubber & TPU Shank

- BS-5807

TEAM KIT BAGS



GYM BAG

- 150 Denier Coated Polyester
- 16" (h) x 13" (w)

Color : 



STING BAG

- 210D Nylon Fabric
- With shoulder strap
- Black 31 x 40 cm

Color : 



DOMINATOR DUFFLE BAGS

- PU coated polyester fabric
- One main compartment
- One rear pocket with zipper
- One mesh side pocket
- Water resistance
- Gym & Sports
- One shoe compartment with anti-spike mesh
- Double handle with adjustable strap

| | |
|----------|-----------------------|
| ▪ Large | 66 X 32 X 25 (53 Ltr) |
| ▪ Medium | 55 X 30 X 22 (36 Ltr) |
| ▪ Small | 46 X 27 X 20 (25 Ltr) |
| ▪ Junior | 41 X 22 X 18 (16 Ltr) |



MULTIFUNCTIONAL BACKPACK ROYAL B./GREY

- Multifunction backpack with base compartment consists of a durable and rugged 600d polyester.
- Spacious backpack with double zipper opening for the main compartment and separate bottom compartment
- Dimensions: 45 x 30cm